

Apprenticeship Curriculum Standard

Heavy Duty Equipment Technician

Level 3

421A

2010




Table of Contents

Preface			1
Introduction			2
Level 3			5
Reportable \$	Subject Sun	nmary-Level 3	6
S1255	Trades Pr	actices	7
	S1255.1	Shielded Metal Arc Welding (SMAW)	8
	S1255.2	Metal Inert Gas (MIG) Welding	11
S1256	Fluid Pow	er Systems	15
	S1256.1	Hydraulic Principles	17
	S1256.2	Hydraulic Schematics and Circuit Design	19
	S1256.3	Hydraulic Accumulators and System Components	22
	S1256.4	Hydraulic Actuators	26
	S1256.5	Electronically Managed Hydraulic Systems	29
	S1256.6	Hydraulic System Diagnosis	32
S1257	Engine Sy	estems	35
	S1257.1	Engine Short Block Assembly	36
	S1257.2	Engine Short Block Diagnosis	39
	S1257.3	Engine Short Block Reconditioning	42
S1258	Electrical/	Electronic Systems	45
	S1258.1	Charging Systems	46
	S1258.2	Computerized Management Systems	49
	S1258.3	Electrical Diagnosis	52
S1259	Fuel Syste	ems	54
	S1259.1	Diesel Fuel Injection Partial-Authority Engine Management Systems	55
	S1259.2	Diesel Fuel Injection Full-Authority Engine Management Systems	59
	S1259.3	Diesel Engine Emission Systems	64

Heavy Duty Equipment Technician

S1260	Drive Trair	ive Train Systems	
	S1260.1	Torque Converters, Fluid Couplings, and Hydraulic Retarders	67
	S1260.2	Hydrostatic Drive Systems	. 71
S1261	Brake, Tra	ck and Suspension Systems	. 74
	S1261.1	Hydraulic Brake Systems	. 75
	S1261.2	Track-Type Undercarriages	. 78
	S1261.3	Suspension Systems	. 83
APPENDIX	A: Acronym	s List	. 86
APPENDIX	B: Glossary	of Trade Specific Terms	. 94

<u>Please Note:</u> This Standard has been revised to reflect the visual identity of Skilled Trades Ontario (STO) which replaced the Ontario College of Trades on January 1, 2022. The content of this Standard may refer to the former organization; however, all trade specific information or content remains relevant and accurate based on the original date of publishing.

Please refer to STO's website: <u>skilledtradesontario.ca</u> for the most accurate and up to date information. For information about BOSTA and its regulations, please visit <u>Building</u> <u>Opportunities in the Skilled Trades Act, 2021 (BOSTA).</u>

Any updates to this publication are available on-line; to download this document in PDF format, please follow the link: <u>Skilled Trades Ontario.ca.</u>

© 2022, Skilled Trades Ontario. All rights reserved. No part of this publication may be reproduced in any form whatsoever without the prior permission from Skilled Trades Ontario.

Maintained with transfer to Skilled Trades Ontario 2010 (V100)

Preface

This curriculum standard for the Heavy Duty Equipment Technician trade program is based upon the on-the-job performance objectives, located in the industry-approved training standard.

This is the third level of 3 levels of training. The Reportable Subjects Summary chart (located on page 6) summarizes the training hours for each reportable subject.

The curriculum identifies the learning that takes place in-school. The in-school program focuses primarily on the theoretical knowledge and the essential skills required to support the performance objectives of the Apprenticeship Training Standards.

Employers/Sponsors are expected to extend the apprentice's knowledge and skills through practical training on a work site. Regular evaluations of the apprentice's knowledge and skills are conducted throughout training to verify that all apprentices have achieved the learning outcomes identified in the curriculum standard.

It is not the intent of the in-school curriculum to perfect on-the-job skills. The practical portion of the in-school program is used to reinforce theoretical knowledge. Skill training is provided on the job.

Please refer to Skilled Trades Ontario website (www.skilledtradesontario.ca) for the most accurate and up-to-date information about Skilled Trades Ontario. For information on Building Opportunities in the Skilled Trades Act, 2021 (BOSTA)) and its regulations, please visit www.skilledtradesontario.ca)

Pre-requisites

In order to advance to Level 2 of the apprenticeship program, an individual must have completed all of the units outlined in Level 1. Similarly, in order to advance to Level 3 of the program, an individual must have completed all of the units outlined in Level 1 and 2.

Hours Disclaimer (if applicable)

It is agreed that Training Delivery Agents (TDAs) may need to make slight adjustments (with cause) according to particular apprentice needs and may deviate from the unit sequencing and the prescribed practical and theoretical hours shown within the standard. However, all TDAs will comply with the hours at the reportable subject level.

Personal and Safety Equipment: Personal protective equipment is at the discretion of the TDA who must conform to Ontario Provincial Health and Safety Regulations.

Introduction

The Heavy Duty Equipment Level 3 curriculum has been developed in keeping with the prescribed Ministry of Labour, Immigration, Training and Skills Development (MLITSD) Training Standards, which are common in the two trades of Agricultural Equipment Technician and Heavy Duty Equipment Technician. The curriculum layout used provides an opportunity to cross-reference the in-school learning outcomes and content to the specific workplace Training Standards.

For easy reference, a time allocation has been included for each reportable subject, along with the Theory/Practical breakdown for the delivery of the Learning Content. More detailed time allocations for the instructor have been provided for each topic area to assure consistency for each apprentice intake.

The continual introduction of innovative techniques and more complex equipment is resulting in increasing demands for tradespersons who are not only skilled in the practical aspects of the trade, but who also have a sound theoretical knowledge of the inspecting, diagnosing, repair, and servicing requirements. The curriculum has been developed to provide this theoretical knowledge and to offer some practical applications to complement the on-the-job work experiences of the Heavy Duty Equipment apprentice.

The objective of the curriculum, therefore, is to provide a basis for:

- a. Sound theoretical training that meet the challenges presented by the increasingly more complex equipment designs and testing techniques.
- b. A reinforcement of fundamental skills of the trade through the exposure to practical applications.
- c. Developing in the apprentices high standards of craftsmanship, problem-solving skills, and personal pride in their trade.
- d. Developing desirable work attitudes and a keen sense of responsibility, particularly concerning public and personal safety.

The curriculum has been designed to give the instructor every reasonable opportunity for flexibility and innovation without deviating to any significant degree from the subject requirements, as determined by the Industry Committees and as prescribed in the Regulations for the Trades. Since the scope of the prescribed curriculum is quite extensive, the apprentices must be expected to reinforce the acquired knowledge through regular independent out-of-classroom assignments. The curriculum has been presented in a chronological sequence in keeping with sound teaching methodologies. However, the actual application of the sequence may differ somewhat between colleges because of scheduling, staffing, and facilities utilization.

The curriculum includes specific references to the Ministry of Labour, Immigration, Training and Skills Development Apprenticeship Training Standards. While these references to various performance objectives in the Training Standards have been linked to the respective in- school outcomes, employers should not assume complete coverage to a journeyperson level. The in-school delivery focuses primarily on the knowledge required to master the respective objectives outlined in the Training Standards. Employers, therefore, are expected to complete the training of these respective objectives by applying the prescribed in-school knowledge to the required practical learning experienced in the work setting.

To ensure that apprentices will be able to successfully demonstrate the learning outcomes according to performance criteria, specific times have been allocated in the respective areas to allow for some applications enhancement. It is of utmost importance that all application assignments relate to prescribed experiences only. Time constraints will not permit engaging apprentices in tasks of limited learning benefit that are unrelated to the curriculum outcomes. In the Learning Content section, whenever an assigned operation for an applied test or repair procedure indicates that a demonstration should be performed, there is only enough time allocated for the instructor to perform the activity.

Regular evaluations of the apprentices' learning achievements must be performed in both theory and practical applications throughout the program to ensure consistency with learning outcome expectations. Testing of apprentice knowledge and skills will take place during the allotted delivery hours for each unit. In addition to providing an evaluation of apprentice competency, the review of test question answers is considered to be a valuable learning opportunity.

In all practical activities, the apprentices will observe the Occupational Health and Safety Act and the applicable regulations including use of personal protective equipment. Institutional regulations and policies may also apply.

Participation by Stakeholders

A consortium of six colleges of applied arts and technology, working in collaboration with the Ministry of Labour, Immigration, Training and Skills Development and industry stakeholders, participated in the development of this document. The development and subsequent revisions were based on the training standards that were previously revised by the MLITSD in consultation with industry advisory groups. The development was completed using a process and format approved by MLITSD.

Participating Colleges

- Cambrian College of Applied Arts and Technology (Project Lead) (HDET Level 3 Lead)
- Algonquin College of Applied Arts and Technology
- Centennial College of Applied Arts and Technology
- Fanshawe College of Applied Arts and Technology
- Mohawk College of Applied Arts and Technology
- Sault College of Applied Arts and Technology

Industry Representatives

Equipment World Itd McGavin Farm Equipment Ltd.

Sudbury Truck & Trailer Ltd Liftow Inc.

Toromont CAT Ltd Volvo Canada Ltd

Nortrax Ltd Vale Inco Ltd

Xstrata Nickel Ltd Atlas Copco Construction & Mining Canada Ltd

Elmira Farm Service Ltd

The first step in the development process was to assemble a Project Steering Committee (PSC), consisting of both industry representatives and apprenticeship in- school deliverers. The PSC initiated the plan for the project development that followed. The PSC established six working teams, each responsible for the development of in- school apprenticeship curriculum documents for the specific motive power trades listed below:

- Level 1 common to Agricultural Equipment, Heavy Duty Equipment, Powered Lift Truck, and Truck and Coach
- Level 2 common to Agricultural Equipment and Heavy Duty Equipment
- Level 3 specific to Agricultural Equipment
- · Level 3 specific to Heavy Duty Equipment
- Level 2 and 3 specific to Powered Lift Truck
- Level 2 and 3 specific to Truck and Coach

The six teams worked with advisory groups during the development of the curriculum. The advisory groups were industry representatives who ensured content validity. During various stages of the process, the PSC and participating industry advisory groups evaluated the draft curriculum documents and provided feedback and recommendations for revisions.

Heavy Duty Equipment Technician Level 3

Reportable Subject Summary-Level 3

Number	Reportable Subjects	Hours Total	Hours Theory	Hours Practical
S1255	Trade Practice	24	8	16
S1256	Fluid Power Systems	48	30	18
S1257	Engine Systems	24	16	8
S1258	Electrical/Electronic Systems	40	23	17
S1259	Fuel Systems	40	26	14
S1260	Drive Train Systems	32	16	16
S1261	Brake, Track and Suspension Systems	32	18	14
	Total	240	148	92

Number: S1255

Title: Trades Practices

Duration: Total Hours: 24 Theory: 8 Practical: 16

Prerequisites: CVAE Level 2

Co-requisites: None

1.1 Shielded Metal Arc Welding (SMAW)

12 Total Hours Theory: 4 hours Practical: 8 hours

1.2 Metal Inert Gas (MIG) Welding

12 Total Hours Theory: 4 hours Practical: 8 hours

Evaluation Structure: Assignments related to theory and appropriate application skills.

Proctored final exam. Periodic quizzes.

Instructional and Delivery Strategies:

Lecture and assignment work

Reference Materials:

Recommended Minimum Equipment:

- Shielded Metal Arc Welder
- Chipping hammers
- Metal Inert Gas Welder
- Hand grinders
- Selection of filler rods and consumables
- Personal Protective Equipment specific to welding

Number: \$1255.1

Title: Shielded Metal Arc Welding (SMAW)

Duration: Total Hours: 12 Theory: 4 Practical: 8

Prerequisites: CVAE Level 2

Cross Reference to Training Standards:

HDET 5892.03, 5897.03, 5897.06, 5899.03, 5899.06, 5900.03, 5903.03, 5904.06,

5906.03

General Learning Outcomes

Upon successful completion the apprentice is able to perform shielded metal arc welding procedures following manufacturers' recommendations, government regulations, and safe work practices.

Learning Outcomes and Content

Upon successful completion, the apprentice is able to:

- 1.1.1 Explain the purpose and fundamentals of the shielded metal arc welding process.
- [0.5/0] metallurgy
 - arc emissions
 - electrical polarity
 - electrical fundamentals
- 1.1.2 Identify the function, construction features, and application of shielded metal arc welding equipment and consumables.
- [1/0] transformers
 - rectifiers
 - controls
 - electrode holders
 - electrode specifications
 - codes
 - current type and polarity
 - position
 - penetration
 - base metal material
 - material condition
 - duty cycle

- 1.1.3 Describe the principles of operation of shielded metal arc welding equipment.
- [1.5/0] equipment settings
 - transformers
 - rectifiers
 - stationary and portable units
 - closed circuit voltage
 - open circuit voltage
- 1.1.4 Perform inspection and diagnostic procedures following manufacturers' recommendations of shielded metal arc welds.
- [0.5/2] describe and diagnose defective welds
 - porosity
 - lack of penetration
 - · excessive heat
 - contamination
 - identify causes of defective welds
- 1.1.5 Identify maintenance procedures for shielded metal arc welding equipment following manufacturers' recommendations.
- [0.5/0] welding cables
 - holding devices
 - power sources
 - protective equipment
- 1.1.6 Perform the assigned shielded metal arc welding procedures following manufacturers' recommendations and safe work practices.
- [0/6] machine adjustments and welds
 - trial beads
 - single and multi pass butt and fillet welds in flat position

- safety precautions
 - eye, face, hand, foot, and clothing protection
 - fire prevention
 - ventilation
 - cut and burn treatments
 - flammable container welding precautions
 - electrical shock prevention
 - vehicle electronic protection
 - butane lighters
 - flash protection
- communications
 - information accessing
 - practical reporting
 - technical service bulletins
 - data management systems
 - o service records
 - o microfiche
 - service information systems
 - electronic format
 - current legislated requirements
 - WHMIS
- mathematics
 - système international d'unités (s.i.) to Imperial conversion

Number: \$1255.2

Title: Metal Inert Gas (MIG) Welding

Duration: Total Hours: 12 Theory: 4 Practical: 8

Prerequisites: CVAE Level 2

Cross Reference to Training Standards:

HDET 5893.03, 5897.03, 5897.06, 5899.03, 5899.96, 5900.03, 5903.03, 5904.06,

5906.03

General Learning Outcomes

Upon successful completion the apprentice is able to perform metal inert gas (MIG) welding procedures following manufacturers' recommendations, government regulations, and safe work practices.

Learning Outcomes and Content

Upon successful completion, the apprentice is able to:

- 1.2.1 Explain the purpose and fundamentals of the metal inert gas (MIG) welding process.
- [0.5/0] electrical fundamentals
 - electrical polarity
 - power sources
 - wire feeders
 - gas shielding
- 1.2.2 Identify the function, construction features, composition, types, and application of metal inert gas (MIG) welding equipment and consumables.
- [0.5/0] power sources
 - rectifier
 - generator
 - inverter
 - consumables
 - wire types
 - wire specifications
 - wire sizes
 - shielding gases
 - contact tips

- 1.2.3 Describe the principles of operation and set-up of metal inert gas (MIG) welding equipment.
- [1.5/1] gun angle and travel
 - wire drive
 - pressure
 - speed
 - groove design
 - contact tip
 - cleanliness
 - gas flow
 - · wire speed
 - voltage setting
 - metal thickness and type
 - shielding gas
 - flow rate
- 1.2.4 Perform inspection and diagnostic procedures of metal inert gas (MIG) welding operations.
- [1/1] inspect and diagnose weld defects
 - spatter
 - porosity
 - lack of penetration
 - excessive heat
 - wire speed
 - too fast
 - o too slow
 - shielding gas
 - o selection
 - o flow rate
- 1.2.5 Identify maintenance procedures for metal inert gas (MIG) welding equipment following manufacturers' recommendations.
- [0.5/0] drive roll pressure
 - cable conduit cleanliness
 - contact tip condition
 - gas nozzle condition

- 1.2.6 Perform assigned operations for metal inert gas (MIG) welding procedures following manufacturers' recommendations and safe work practices.
- [0/6] weld deposits on lap and "T" joints
 - adjustments to:
 - voltage
 - wire speed
 - gas flow
 - electrode protrusion

- safety precautions
 - eye, face, hand, foot, and clothing protection
 - fire prevention
 - ventilation
 - cut and burn treatments
 - flammable container welding precautions
 - electrical shock protection
 - vehicle electronic protection
 - flash protection
- communications
 - information accessing
 - practical reporting
 - technical service bulletins
 - data management systems
 - o service records
 - microfiche
 - o service information systems
 - electronic format
 - current legislated requirements
 - WHMIS
- mathematics
 - système international d'unités (s.i.) to Imperial conversion

Evaluation Structure		
Theory Testing	Practical Application Testing	
50%	50%	

Number: S1256

Title: Fluid Power Systems

Duration: Total Hours: 48 Theory: 30 Practical: 18

Prerequisites: CVAE Level 2

Co-requisites: None

2.1 Hydraulic Principles

4 Total Hours Theory: 4 hours Practical: 0 hours

2.2 Hydraulic Schematics and Circuit Design

6 Total Hours Theory: 6 hours Practical: 0 hours

2.3 Hydraulic Accumulators and System Components

7 Total Hours Theory: 4 hours Practical: 3 hours

2.4 Hydraulic Actuators

10 Total Hours Theory: 6 hours Practical: 4 hours

2.5 Electronically Managed Hydraulic Systems

8 Total Hours Theory: 6 hours Practical: 2 hours

2.6 Hydraulic System Diagnosis

13 Total Hours Theory: 6 hours Practical: 7 hours

Evaluation Structure: Assignments related to theory and appropriate application skills.

Proctored final exam. Periodic quizzes.

Instructional and Delivery Strategies:

Lecture and assignment work

Reference Materials:

O.E.M. Equipment Documentation

Recommended Minimum Equipment:

- Equipment with open centre hydraulic system
- Hydraulic flow meters
- Equipment with closed centre hydraulic system (pressure compensated)
- Pressure testing equipment: mechanical gauges, electronic gauges
- Equipment with closed centre hydraulic system (pressure and flow compensated)
- Hydraulic cylinders and motors
- Equipment with hydraulic systems that use accumulators
- Assortment of vane, piston and gear pumps and motors
- Axial piston pumps
- Electro hydraulic components

Number: S1256.1

Title: Hydraulic Principles

Duration: Total Hours: 4 Theory: 4 Practical: 0

Prerequisites: CVAE Level 2

Cross Reference to Training Standards:

HDET 5895.0

General Learning Outcomes

Upon successful completion the apprentice is able to interpret hydraulic system schematics following manufacturers' recommendations.

Learning Outcomes and Content

Upon successful completion, the apprentice is able to:

- 2.1.1 Explain the fundamentals of hydraulic circuits and schematics.
- [0.5/0] graphic symbols
 - hydraulic circuit layouts
 - pictorial drawings
 - diagrams
 - schematics
 - Society of Automotive Engineers (SAE)
 - International Standards Organization (ISO)
- 2.1.2 Identify hydraulic component on diagrams and schematics.
- [0.5/0] component relationships
 - graphic symbols
- 2.1.3 Describe the oil flow circuit path through various hydraulic system diagrams and schematics.
- [1.5/0] open centre systems
 - series connections
 - series-parallel connections
 - closed centre systems
 - fixed displacement pump
 - variable displacement pump
 - interpret graphic symbols as applied to system circuit schematics

2.1.4 Perform calculations of hydraulic circuit applications.

[1.5/0]

- pressure
- force
- area
- delivery
- cycle times
- power

General Practices

- safety precautions
 - eye and hand protection
 - high pressure concerns for skin penetration
 - chemical hazards—WHMIS
- communications
 - information accessing
 - practical reporting
 - technical service bulletins
 - data management systems
 - service records
 - microfiche
 - service information systems
 - electronic format
 - current legislated requirements
 - WHMIS
- mathematics
 - système international d'unités (s.i.) to Imperial conversion

Number: \$1256.2

Title: Hydraulic Schematics and Circuit Design

Duration: Total Hours: 6 Theory: 6 Practical: 0

Prerequisites: CVAE Level 2

Cross Reference to Training Standards:

HDET 5895.02, 5895.05, 5895.08

General Learning Outcomes

Upon successful completion the apprentice is able to evaluate hydraulic circuit design and compare with manufacturers' schematics.

Learning Outcomes and Content

Upon successful completion, the apprentice is able to:

2.2.1 Explain the purpose and fundamentals of hydraulic systems.

[2/0]

- open centre systems
 - series connections
 - parallel connections
 - series-parallel connections
 - power beyond
 - flow dividers
- closed centre systems
 - fixed displacement pump and accumulators
 - variable displacement pump
 - pressure compensated
 - power beyond
 - pressure and flow compensated
- special flow systems
 - demand
 - summation
 - pressure compensated
 - flow compensated

2.2.2 Identify the construction features of hydraulic systems.

[2/0] -

- open centre systems
- series connections
- parallel connections
- series-parallel connections
- power beyond
- flow dividers
- closed centre systems
 - fixed displacement pump and accumulators
 - variable displacement pump
 - pressure compensated
 - power beyond
 - pressure flow compensated
- special flow systems
 - demand
 - summation
 - pressure compensated

2.2.3 Describe the principles of operation of hydraulic systems.

[2/0]

- open centre systems
 - series connections
 - parallel connections
 - series-parallel connections
 - power beyond
 - flow dividers
- closed centre systems
 - fixed displacement pump and accumulators
 - variable displacement pump
 - pressure compensated
 - power beyond
 - pressure flow compensated
- special flow systems
 - demand
 - summation
 - pressure compensated

- safety precautions
 - eye and hand protection
 - high pressure concerns for skin penetration
 - chemical hazards
- communications
 - information accessing
 - practical reporting
 - technical service bulletins
 - data management systems
 - o service records
 - o microfiche
 - o service information systems
 - o electronic format
 - current legislated requirements
 - WHMIS
- mathematics
 - système international d'unités (s.i.) to Imperial conversion

Number: S1256.3

Title: Hydraulic Accumulators and System Components

Duration: Total Hours: 7 Theory: 4 Practical: 3

Prerequisites: CVAE Level 2

Cross Reference to Training Standards:

HDET 5895.02, 5895.03, 5895.04, 5895.05, 5895.06, 5895.07, 5895.08, 5895.09,

5895.10

General Learning Outcomes

Upon successful completion the apprentice is able to recommend repairs for hydraulic accumulators and accessories following manufacturers' recommendations.

Learning Outcomes and Content

Upon successful completion, the apprentice is able to:

- 2.3.1 Explain the purpose and fundamentals of hydraulic accumulators and hydraulic components.
- [0.5/0] accumulator safety precautions
 - accumulator types
 - pneumatic (gas charged)
 - bladder
 - o piston
 - o diaphragm
 - spring loaded
 - weighted
 - intensifiers
 - switches
 - gauges
 - sensors
 - pressure
 - flow
 - temperature
 - solenoids
 - component graphic symbols

- 2.3.2 Identify the construction features of hydraulic accumulators and hydraulic components.
- [1/0] accumulators
 - pneumatic (gas charged)
 - bladder
 - o piston
 - o diaphragm
 - spring loaded
 - weighted
 - intensifiers
 - switches
 - pressure
 - temperature
 - limit
 - sensors
 - pressure
 - flow
 - temperature
 - position
- 2.3.3 Describe the principles of operation of hydraulic accumulators and hydraulic components.
- [2/0] accumulators
 - pneumatic (gas charged)
 - o bladder
 - o piston
 - o diaphragm
 - spring loaded
 - weighted
 - intensifiers
 - switches
 - pressure
 - temperature
 - limit
 - sensors
 - pressure
 - flow
 - temperature
 - position

- 2.3.4 Demonstrate inspection, testing, and diagnostic procedures following manufacturers' recommendations to hydraulic accumulators and hydraulic components.
- [0/2] internal and external leakage of accumulators
 - examine defective components
 - intensifiers
 - gauges
 - sensors
 - pressure
 - flow
 - temperature
 - position
 - switches
 - pressure
 - temperature
 - limit
- 2.3.5 Recommend reconditioning or repairs following manufacturers' recommendations to hydraulic accumulators and hydraulic components.
- [0.5/1] safety procedures for servicing accumulators
 - intensifiers
 - gauges
 - sensors
 - pressure
 - flow
 - temperature
 - position
 - switches
 - pressure
 - temperature
 - limit
 - demonstrate safe charging and repair procedures for accumulators

- safety precautions
 - eye and hand protection
 - chemical hazards—WHMIS
 - high pressure concerns for skin penetration
- communications
 - information accessing
 - practical reporting
 - technical service bulletins
 - data management systems
 - o service records
 - microfiche
 - o service information systems
 - o electronic format
 - current legislated requirements
 - WHMIS
- mathematics
 - système international d'unités (s.i.) to Imperial conversion

Number: S1256.4

Title: Hydraulic Actuators

Duration: Total Hours: 10 Theory: 6 Practical: 4

Prerequisites: CVAE Level 2

Cross Reference to Training Standards:

HDET 5892.01, 5892.02, 5895.03

General Learning Outcomes

Upon successful completion the apprentice is able to recommend repair procedures for hydraulic actuators following manufacturers' recommended procedures.

Learning Outcomes and Content

Upon successful completion, the apprentice is able to:

2.4.1 Explain the purpose and fundamentals of hydraulic actuators.

[2/0]

- displacement
- horsepower
- flow rate
- aeration
- pressure and force
- cavitation
- friction
- graphic symbols
- contamination and importance of cleanliness
- torque
- torque rates
- rod speed
- shaft speed
- 2.4.2 Identify the construction features of hydraulic actuators.

[2/0]

- motors
 - gear
 - vane
 - balanced
 - o unbalanced
 - compensating valves

- piston
 - o variable displacement
 - o radial
 - o axial
 - bent axis
- cylinders
 - single acting
 - double acting
 - series telescoping
 - regenerating
- 2.4.3 Describe the principles of operation of hydraulic actuators.
- [1/0] motors
 - high speed low torque
 - anti-cavitation check valves
 - low speed high torque
 - gear
 - vane
 - o balanced
 - unbalanced
 - piston
 - radial
 - axial
 - bent axis
 - cylinders
 - single acting
 - double acting
 - o differential
 - o non differential
 - o single rod end
 - o double rod end
 - series telescoping
- 2.4.4 Demonstrate inspection, testing, and diagnostic procedures following manufacturers' recommendations for hydraulic actuators.
- [0.5/2] motors
 - case drain requirements
 - cylinders
 - by-passing
 - failure analysis of hydraulic motor and cylinder components

- 2.4.5 Recommend reconditioning or repairs following manufacturers' for hydraulic actuators.
- [0.5/2] outline the recommended procedures to remove and replace hydraulic motors and cylinders
 - safe depressurization
 - priming
 - bleeding
 - case drain line
 - disassemble and reassemble hydraulic actuators

- safety precautions
 - eye, hearing and hand protection
 - high pressure concerns for skin penetration
 - chemical hazards—WHMIS
- communications
 - information accessing
 - practical reporting
 - technical service bulletins
 - data management systems
 - o service records
 - o microfiche
 - service information systems
 - electronic format
 - current legislated requirements
 - WHMIS
- mathematics
 - système international d'unités (s.i.) to Imperial conversion

Number: \$1256.5

Title: Electronically Managed Hydraulic Systems

Duration: Total Hours: 8 Theory: 6 Practical: 2

Prerequisites: CVAE Level 2

Cross Reference to Training Standards:

HDET 5892.02, 5895.03,5895.05

General Learning Outcomes

Upon successful completion the apprentice is able to recommend repairs to electronically managed hydraulic systems following manufacturers' recommendations.

Learning Outcomes and Content:

Upon successful completion, the apprentice is able to:

- 2.5.1 Explain the purpose and fundamentals of electronically managed hydraulic systems.
- [2/0] area networks
 - data links
 - twisted pair wiring
 - solenoids
 - feedback circuits
 - control feedback
 - valve mounted ECM's
 - actuator mounted ECM's
 - electrically controlled pilot circuits
 - servo valves
- 2.5.2 Identify the construction features of electronically managed hydraulic systems.
- [2/0] area networks
 - data links
 - twisted pair wiring
 - solenoids
 - feedback circuits
 - valve mounted ECM's
 - actuator mounted ECM's
 - electrically controlled pilot circuits
 - servo valves
 - electronic displacement control

- 2.5.3 Describe the principles of operation of electronically managed hydraulic systems.
- [2/0] ECM inputs and outputs
 - data link communication
 - ECM logic
 - control parameters
 - deadband
 - hysteresis
 - proportional control
 - open loop control circuits
 - closed loop control circuits
 - CAN networks
 - programmable logic control
 - distributive control
- 2.5.4 Demonstrate an electronically managed hydraulic system diagnostic evaluation according to comparison to manufacturers' specifications.
- [0/2] calibrations
 - diagnostic tooling
 - display menu
 - cycle times
 - sensor testing

- safety precautions
 - eye and hand protection
 - high pressure concerns for skin penetration
 - chemical hazards
- communications
 - information accessing
 - practical reporting
 - technical service bulletins

- data management systems
 - service records
 - o microfiche
 - o service information systems
 - o electronic format
- current legislated requirements
- WHMIS
- mathematics
 - système international d'unités (s.i.) to Imperial conversion

Number: S1256.6

Title: Hydraulic System Diagnosis

Duration: Total Hours: 13 Theory: 6 Practical: 7

Prerequisites: CVAE Level 2

Cross Reference to Training Standards:

HDET 5895.01, 5895.02, 5895.04, 5895.05, 5895.06, 5895.07, 5895.08, 5895.09,

5895.10

[1/0]

General Learning Outcomes

Upon successful completion the apprentice is able to diagnose hydraulic systems and recommend repairs following manufacturers' recommendations.

Learning Outcomes and Content

Upon successful completion, the apprentice is able to:

2.6.1 Explain the fundamentals of diagnosing hydraulic systems.

2.0.1 Explain the landamentale of diagnosting hydraulie bysterne

 interpret manufacturers' diagnostic troubleshooting procedures for hydraulic systems

- interpret manufacturers' schematics

2.6.2 Identify primary causes of failures for hydraulic systems

[2/0] - cavitation

- cavitation - aeration
- contamination
- oil starvation
- overheating
- overloading
- mechanical
- electrical
- 2.6.3 Describe the procedures to inspect and test the hydraulic system.

[2/0] - step-by-step procedures of the troubleshooting charts related to hydraulic systems tests

- flow
- pressure
- bypass
- cycle times

- 2.6.4 Perform hydraulic system diagnostics following the manufacturers' recommended procedures.
- [0/5] step-by-step procedures of the troubleshooting charts related to hydraulic systems test for:
 - flow
 - pressure
 - bypass
 - cycle times
- 2.6.5 Recommend reconditioning or repairs following the manufacturers' recommended procedures.
- [1/2] demonstrate failure analysis as related to the following components:
 - pumps
 - piston
 - vane
 - gear
 - control valves
 - pressure
 - flow
 - directional
 - actuators
 - linear
 - rotary
 - conductors
 - adapters

- safety precautions
 - · eye and hand protection
 - high pressure concerns for skin penetration
 - chemical hazards--WHMIS

- communications
 - information accessing
 - · practical reporting
 - technical service bulletins
 - data management systems
 - o service records
 - o microfiche
 - o service information systems
 - o electronic format
 - current legislated requirements
 - WHMIS
- mathematics
 - système international d'unités (s.i.) to Imperial conversion

Evaluation Structure		
Theory Testing	Practical Application Testing	
60%	40%	

Number: S1257

Title: Engine Systems

Duration: Total Hours: 24 Theory: 16 Practical: 8

Prerequisites: CVAE Level 2

Co-requisites: None

3.1 Engine Short Block Assembly

5 Total Hours Theory: 5 hours Practical: 0 hours

3.2 Engine Diagnosis

12 Total Hours Theory: 6 hours Practical: 6 hours

3.3 Engine Short Block Reconditioning

7 Total Hours Theory: 5 hours Practical: 2 hours

Evaluation Structure: Assignments related to theory and appropriate application skills.

Proctored final exam. Periodic quizzes.

Instructional and Delivery Strategies:

Lecture and assignment work

Reference Materials:

O.E.M. Equipment Documentation

Recommended Minimum Equipment:

- Diesel engines (parent block)
- Piston ring installation tool
- Precision measuring tools
- Piston installation tool
- Cylinder protrusion measuring tool
- Sleeve puller
- Cylinder counterbore measuring tool
- Seal removal/ installation tools
- Cylinder bore measuring tools
- Basic hand tools
- Diesel engines (wet sleeves)
- Running Equipment or Simulator
- Magnetic crack detection equipment
- Torque wrenches

Number: \$1257.1

Title: Engine Short Block Assembly

Duration: Total Hours: 5 Theory: 5 Practical: 0

Prerequisites: CVAE Level 2

Cross Reference to Training Standards:

HDET 5891.11, 5891.12, 5891.13

General Learning Outcomes

Upon successful completion the apprentice is able to describe the testing and servicing procedures of an engine short block assembly following manufacturers' recommendations.

Learning Outcomes and Content

Upon successful completion, the apprentice is able to:

3.1.1 Explain the fundamentals of the engine short block components.

[2/0]

- bore
- stroke
- engine displacement
- stress areas
- engine efficiency
- calculations
 - torque rise
- overview of block types
 - wet/dry sleeves
 - parent/Enbloc (No liners)
- anti vibration methods
- cooling and lubrication methods
- camshaft bearings
- 3.1.2 Identify the construction features of the engine short block components.

[2/0]

- cylinder block
 - parent/Enbloc
- liner types
 - wet
 - dry
- liner construction materials
- crankshaft and bearings construction
- thrust bearings
- connecting rod to piston attaching methods

- designs of connecting rod mating surfaces
 - cracked rod (fractured)
- piston features, types and construction materials
 - forged steel
 - composite steel
 - aluminium
 - articulating
 - cam ground
 - piston cooling methods
 - piston ring types
- anti-vibration devices
 - vibration dampers
 - o viscous
 - o rubber
 - balance shafts
- covers, seals, and gaskets
- fly-wheel types
- camshaft bearings
- 3.1.3 Describe the principles of operation of the engine short block components.

[1/0]

- cylinder block
- wet versus dry sleeve engines
- sleeve materials
- crankshaft and bearings construction
- thrust bearings
- connecting rod to piston attaching methods
- designs of connecting rod mating surfaces
 - cracked rod
- pistons
 - one-piece (trunk type)
 - forged steel
 - composite steel
 - o aluminum
 - articulating
 - cam ground
 - piston cooling methods
 - piston ring types
- anti-vibration devices
 - vibration dampers
 - o viscous
 - o rubber
 - balance shafts
- flywheel types
- camshaft bearings

- safety precautions
 - eye, hearing, breathing, and hand protection
 - rotating components
 - wire and grinding wheels
 - cleaning agents
- communications
 - information accessing
 - practical reporting
 - technical service bulletins
 - data management systems
 - service records
 - o microfiche
 - service information systems
 - o electronic format
 - current legislated requirements
 - WHMIS
- mathematics
 - system international d'unités (s.i.) to Imperial conversion

Number: \$1257.2

Title: Engine Short Block Diagnosis

Duration: Total Hours: 12 Theory: 6 Practical: 6

Prerequisites: CVAE Level 2

Cross Reference to Training Standards:

HDET 5891.11

[3/0]

General Learning Outcomes

Upon successful completion the apprentice is able to demonstrate the diagnostic procedures used for engines following manufacturers' recommendations.

Learning Outcomes and Content

Upon successful completion, the apprentice is able to:

3.2.1 Explain the fundamentals of engine diagnosis.

6.2.1 Explain the fundamentals of engine diagnosis.

- identify diagnostic procedures to verify engine performance complaints
 - power loss
 - noises
 - oil consumption
 - exhaust smoke
 - o excessive
 - o blue
 - o white
 - black
 - vibrations
 - coolant consumption
 - external leaks
 - overheating
 - overcooling
 - hard starting
 - excessive fuel consumption

- 3.2.2 Identify engine performance test procedures following manufacturers' recommendations and safe work practices.
- [1/2] demonstrate the following using a stall test
 - fuel pressure
 - torque, power
 - operating temperatures
 - exhaust /intake temperatures
 - intake pressures
 - exhaust pressures
 - crankcase pressures
 - stall speeds
 - electronic monitoring
 - boost pressure
- 3.2.3 Perform failure analysis following the manufacturers' recommended procedures.
- [2/4] Blocks
 - warpage
 - cracks
 - corrosion
 - wear
 - crankshafts/camshafts
 - breakage
 - bending
 - lack of lubrication
 - wear/scoring
 - cracks
 - sleeves
 - erosion
 - corrosion
 - wear/scoring
 - cracks
 - protrusion height
 - pistons, rings, pins, piston cooling devices
 - wear/scoring
 - cracks
 - overheating
 - seizure
 - connecting rod
 - bending/twisting
 - bore distortions
 - cracks
 - stretch
 - fastener failures

- flywheels
 - distortion
- anti vibration devices
 - separation
 - cracks
 - leakage
- bearings and seals
 - wear /scoring
 - cracks
 - overheating
 - seizure
- diagnostic tests to determine root cause failures for:
 - cooling system components
 - lubrication system components
 - engine oil contamination
 - coolant contamination

- safety precautions
 - eye and hand protection
 - hot coolant and lubricant
- communications
 - information accessing
 - practical reporting
 - technical service bulletins
 - data management systems
 - o service records
 - microfiche
 - service information systems
 - electronic format
 - current legislated requirements
 - WHMIS
- mathematics
 - système international d'unités (s.i.) to Imperial conversion

Number: \$1257.3

Title: Engine Short Block Reconditioning

Duration: Total Hours: 7 Theory: 5 Practical: 2

Prerequisites: CVAE Level 2

Cross Reference to Training Standards:

HDET 5891.11, 5891.12, 5891.13

General Learning Outcomes

Upon successful completion the apprentice is able to describe the testing and servicing procedures for engine short block reconditioning following manufacturers' recommendations.

Learning Outcomes and Content

- 3.3.1 Explain the fundamentals of engine short block reconditioning.
- [1.5/0] procedures for:
 - piston pin fits and tolerances, including press fit, burnishing and honing
 - cylinder ridge removal, de-glazing, honing, and boring
 - cylinder sleeve removal, fits, tolerances, and installation
 - cylinder block counter bore and sleeve protrusion
 - precision measuring devices
 - camshaft bearing replacement
- 3.3.2 Identify the construction features of equipment required for cylinder sleeve reconditioning, removal, and replacement.
- [1/0] ridge remover
 - de-glazer
 - hone
 - counter-bore reconditioner
 - liner puller

- 3.3.3 Describe the principles of operation of the equipment for cylinder sleeve reconditioning, removal and replacement.
- [1.5/0] cylinder service equipment
 - ridge removal
 - de-glazing
 - honing
 - sleeve installation
 - counter boring
 - cleaning equipment
 - · cleaning solutions
 - o material reaction
- 3.3.4 Demonstrate inspection and testing procedures following manufacturers' recommendations for engine short block components.
- [1/2] clean the engine block
 - oil passages
 - coolant passages
 - post cleaning corrosion protection
 - internal protective coating integrity
 - external surfaces
 - clean piston and connecting rod assemblies
 - cleaning agents
 - carbon removal
 - block distortion and gasket surface checks
 - crankshaft checks
 - end play
 - bearing clearance
 - o plastigage
 - flvwheel run-out
 - rod side clearance checks
 - piston ring side clearance and end gap checks

- safety precautions
 - eye and hand protection
 - rotating hone precautions
 - corrosive chemical risk
- communications
 - information accessing
 - practical reporting
 - technical service bulletins
 - data management systems
 - o service records
 - o microfiche
 - o service information systems
 - o electronic format
 - current legislated requirements
 - WHMIS
- mathematics
 - système international d'unités (s.i.) to Imperial conversion

Evaluation Structure		
Theory Testing	Practical Application Testing	
70%	30%	

Number: S1258

Title: Electrical/Electronic Systems

Duration: Total Hours: 40 Theory: 22 Practical: 18

Prerequisites: CVAE Level 2

Co-requisites: None

4.1 Charging Systems

20 Total Hours Theory: 12 hours Practical: 8 hours

4.2 Computerized Management Systems

14 Total Hours Theory: 7 hours Practical: 7 hours

4.3 Electrical Diagnosis

6 Total Hours Theory: 3 hours Practical: 3 hours

Evaluation Structure: Assignments related to theory and appropriate application skills.

Proctored final exam. Periodic quizzes.

Instructional and Delivery Strategies:

Lecture and assignment work

Reference Materials:

O.E.M. Equipment Documentation

Recommended Minimum Equipment:

- Heavy duty alternators
- Alternator test stand
- Heavy duty carbon pile
- High Impedance multi-meters
- Equipment or simulator with electronic control modules
- Electronic service tool (OEM type programming, not a generic scan tool)
- capable of connection to the above tractor

Number: S1258.1

Title: Charging Systems

Duration: Total Hours: 20 Theory: 12 Practical: 8

Prerequisites: CVAE Level 2

Cross Reference to Training Standards:

HDET 5894.01, 5897.07, 5894.08, 5894.09

General Learning Outcomes

Upon successful completion the apprentice is able to recommend repair of charging systems following manufacturers' recommendations.

Learning Outcomes and Content

Upon successful completion, the apprentice is able to:

4.1.1 Explain the purpose and fundamentals of charging system components.

[2/0]

- current flow
- diodes
- electromagnetism
- voltage induction
- inductive reactance of stator
- battery conditions as affecting internal resistance
- principles of tracing wiring schematics
- electrical/electronic symbols
- Ohm's law
- temperature effects
- factors affecting voltage and amperage output
 - field strength
 - rotor speed
- inductor reactance
- 4.1.2 Identify the types and construction features of charging system components.

[3/0]

- brush-type alternators
 - rectifier
 - stator
 - delta
 - wye
 - rotor
 - o field winding
 - o poles
 - o slip rings

- diode trio
- brush assembly
- case
- bearings and pulleys
- brushless alternators
 - stationary field
 - magnetic poles
 - stator
 - rectifier
 - transformer 12/24 volt system
- voltage regulators
 - external electronic
 - internal electronic
 - electronic digital
- 4.1.3 Describe the principles of operation of charging systems.
- [5/0] brush-type alternators
 - rectifier
 - full-bridge
 - half-bridge
 - induction principles
 - electromagnetism
 - o induction
 - o inductive reactance
 - alternating current
 - three-phase
 - brushless alternators
 - dual voltage alternator
 - transformer principle
 - voltage regulator
 - electronic principles
 - load response
- 4.1.4 Perform inspection and diagnostic procedures following manufacturers' recommendations for charging systems.
- [1/4] visual inspection
 - belt tension and alignment
 - connections and wiring
 - battery and alternator specifications and application
 - outline recommended charging system testing sequence
 - battery condition tests
 - charging circuit resistance voltage drop tests

- charging system current and voltage output tests
- identify specific charging system faults from test results
- alternator bench testing for output current and voltage
- voltage regulator bench tests
- identify electronic noise suppression devices
- 4.1.5 Recommend reconditioning or repair procedures following manufacturers' recommendations for charging systems.
- [1/4] verify output capacity to satisfy the specific vehicle electrical load specifications
 - perform adjusting procedures of alternator drive belt tension and alignment
 - remove and replace an alternator and verify operation

- safety precautions
 - eye, hearing, breathing, and hand protection
 - accidental grounding of rings, jewellery, tools
 - · equipment connection precautions
 - open circuit voltage precautions
- communications
 - information accessing
 - practical reporting
 - technical service bulletins
 - data management systems
 - service records
 - microfiche
 - service information systems
 - electronic format
 - current legislated requirements
 - WHMIS
- mathematics
 - système international d'unités (s.i.) to Imperial conversion

Number: \$1258.2

Title: Computerized Management Systems

Duration: Total Hours: 14 Theory: 7 Practical: 7

Prerequisites: CVAE Level 2

Cross Reference to Training Standards: **HDET** 5894.01, 5894.10, 5894.11, 5894.12

General Learning Outcomes

Upon successful completion the apprentice is able to test and computerized management systems following manufacturers' recommendations.

Learning Outcomes and Content

- 4.2.1 Explain the fundamentals of Electronic Control Modules computerized management systems
- [1.5/0] analog/digital signals
 - binary systems
 - logic gates
 - multiplexing
 - data bus protocols
 - ISO and Non ISO protocols
 - fibre optics
- 4.2.2 Identify the types and construction features of computerized management systems
- [1.5/0] input devices
 - sensors
 - switches
 - data links
 - central processing unit
 - data storage
 - Random Access Memory (RAM)
 - Read Only Memory (ROM)
 - Programmable Read Only memory (PROM)
 - Erasable Programmable Read Only Memory (EPROM)
 - Electronically Erasable Programmable Read Only Memory (EEPROM)

- output circuits
 - · reference voltage
 - relays
 - solenoids
 - power modules
- 4.2.3 Describe the principles of operation of computerized management systems.
- [3/0] analog to digital converters
 - signal filtration
 - central processing unit (CPU)
 - processing cycle
 - logic sequencing
 - data storage
 - output circuits
- 4.2.4 Perform inspection and diagnostic procedures for computerized management systems following manufacturers' recommendations.
- [0.5/7] code identification
 - FMI (failure mode Identification)
 - DTC (diagnostic trouble code)
 - Audit trails
 - Clearing codes
 - demonstrate (EST) electronic service tool diagnostic tests
 - electronic service tool diagnostic tests
 - reprogramming ECM
 - diagnostic codes extraction
 - demonstrate sensor input tests
 - demonstrate output device tests
- 4.2.5 Recommend reconditioning or repairs following manufacturers' recommendations for computerized management systems.
- [0.5/0] identify static electricity and induction interference prevention procedures
 - outline (ECM) electronic control module replacement procedures
 - reprogramming ECM
 - extracting data from old ECM

- safety precautions
 - eye and hand protection
 - electrostatic discharge
- communications
 - information accessing
 - practical reporting
 - technical service bulletins
 - data management systems
 - o service records
 - o microfiche
 - o service information systems
 - electronic format
 - current legislated requirements
 - WHMIS
- mathematics
 - système international d'unités (s.i.) to Imperial conversion

Number: S1258.3

<u>Title:</u> <u>Electrical Diagnosis</u>

Duration: Total Hours: 6 Theory: 3 Practical: 3

Prerequisites: CVAE Level 2

Cross Reference to Training Standards:

HDET 5894.01, 5894.02, 5894.03, 5894.04, 5894.07, 5894.10

General Learning Outcomes

Upon successful completion the apprentice is able to test and diagnose electrical circuit defects following manufacturers' recommendations.

Learning Outcomes and Content

- 4.3.1 Explain the fundamentals of electrical circuit diagnosis.
- [1/0] visual inspection
 - corrosion
 - overheating
 - broken wires
 - odour
 - verify meter integrity
 - accuracy
 - meter connections
 - calibration
 - schematic and circuit relationships
- 4.3.2 Identify types of circuit failures.
- [1/0] opens
 - shorts
 - unintentional grounds
 - high resistance
- 4.3.3 Perform testing and diagnostic procedures following manufacturers' recommendations for electrical circuit failures.
- [1/3] visual circuit test procedures
 - meter circuit testing procedures
 - electrical circuit diagnostic procedures
 - test light vs. multi-meter for diagnosing

- safety precautions
 - eye, hearing, breathing, and face protection
 - battery gas precautions
 - explosion precautions
- communications
 - information accessing
 - practical reporting
 - technical service bulletins
 - data management systems
 - o service records
 - microfiche
 - o service information systems
 - o electronic format
 - current legislated requirements
 - WHMIS
- mathematics
 - système international d'unités (s.i.) to Imperial conversion

Evaluation Structure		
Theory Testing	Practical Application Testing	
60%	40%	

Number: S1259

Title: Fuel Systems

Duration: Total Hours: 40 Theory: 25 Practical: 15

Prerequisites: CVAE Level 2

Co-requisites: None

5.1 Diesel Fuel Injection Partial-Authority Engine Management Systems

13 Total Hours Theory: 9 hours Practical: 4 hours

5.2 Diesel Fuel Injection Full-Authority Engine Management Systems

23 Total Hours Theory: 14 hours Practical: 9 hours

5.3 Diesel Engine Emission Systems

4 Total Hours Theory: 2 hours Practical: 2 hours

Evaluation Structure: Assignments related to theory and appropriate application skills.

Proctored final exam. Periodic quizzes.

Instructional and Delivery Strategies:

Lecture and assignment work

Reference Materials:

O.E.M. Equipment Documentation

Recommended Minimum Equipment:

- Equipment with partial authority fuel management system
- Electronic service tool to connect to the above pieces of equipment (OEM type)
- Equipment with full authority fuel management system
- Fuel system components

Number: \$1259.1

Title: Diesel Fuel Injection Partial-Authority Engine

Management Systems

Duration: Total Hours: 13 Theory: 9 Practical: 4

Prerequisites: CVAE Level 2

Cross Reference to Training Standards:

HDET 5891.14, 5891.15, 5891.16, 5892.01, 5892.02, 5892.03, 5892.04, 5892.05,

5892.06, 5892.07, 5892.08, 5892.09

General Learning Outcomes

Upon successful completion the apprentice is able to recommend the testing and servicing procedures for diesel fuel injection partial-authority engine management systems following manufacturers' recommendations.

Learning Outcomes and Content

- 5.1.1 Explain the fundamentals of partial-authority, electronic diesel engine management systems.
- [1/0] purpose, function, types, styles, and application
 - inline system electronic engine management controls
 - distributor systems
 - fundamentals enhancement
 - transducers
 - thermister
 - negative/positive coefficient
 - potentiometers
 - magnetic
 - engine timing requirements
 - static
 - o electronic advance
 - overview of inline and distributor pump systems adapted electronic engine controls

- 5.1.2 Identify the construction features of partial-authority, electronic diesel engine management systems and components.
- [3/0] inline system
 - rack actuators
 - · rack position sensors
 - brushless torque motors (BTM)
 - transducers
 - distributor systems
 - · inlet metering
 - · sleeve metering
 - timing controls
 - hydraulic head controls
 - electronic controls
 - servo controls
 - pulse wheels
 - linear magnet
 - variable timing control
 - electronic governor
 - hall effect sensor
 - hydraulic injectors
 - hydraulic nozzle holders
 - pintle nozzles
 - multi-orifii nozzles
 - high pressure pipes
 - leak- off lines
 - fuel manifolds
- 5.1.3 Describe the principles of operation of partial-authority, electronic diesel engine management systems and components.
- [3/0] inline system
 - rack actuators
 - rack position sensors
 - brushless torque motors (BTM)
 - transducers
 - distributor systems
 - inlet metering
 - sleeve metering
 - timing controls
 - hydraulic head controls

- electric controls
 - servo controls
 - pulse wheels
 - linear magnet
 - variable timing control
 - electronic governor
 - hall effect sensor
- hydraulic injectors
 - hydraulic nozzle holders
 - pintle nozzles
 - multi-orifii nozzles
- high pressure pipes
- leak- off lines
- fuel manifolds
- 5.1.4 Demonstrate inspection, testing and diagnostic procedures following manufacturers' recommendations for partial-authority, electronic diesel engine management systems and components.
- [1/4] identify components and their location
 - recommended tests on system input sensors and output devices
 - reader/programmer/personal computer software diagnostics on the inline systems
- 5.1.5 Recommend reconditioning or repair procedures following manufacturers' recommendations for partial-authority electronic diesel engine management systems and components.
- [1/0] outline the recommended repair procedures for fuel injection systems
 - electronic connections
 - wiring harness
 - connector repairs
 - circuit resistance tests
 - pump replacement

- safety precautions
 - eye and hand protection
 - proper polarity connections
 - high pressure
 - rotating shafts, belts and pulleys
- communications
 - information accessing
 - practical reporting
 - technical service bulletins
 - data management systems
 - service records
 - o microfiche
 - service information systems
 - electronic format
 - current legislated requirements
 - WHMIS
- mathematics
 - système international d'unités (s.i.) to Imperial conversion

Number: S1259.2

Title: Diesel Fuel Injection Full-Authority Engine

Management Systems

Duration: Total Hours: 23 Theory: 14 Practical: 9

Prerequisites: CVAE Level 2

Cross Reference to Training Standards: **HDET** 5892.06, 5892.07, 5892.08, 5892.09

General Learning Outcomes

Upon successful completion the apprentice is able to recommend repairs for diesel fuel injection full-authority engine management systems following manufacturers' recommendations.

Learning Outcomes and Content

- 5.2.1 Explain the fundamentals of diesel fuel injection full-authority engine management systems.
- [1/0] applications
 - types
 - strategy
 - emission legislation
- 5.2.2 Identify the construction features of full-authority electronic control diesel fuel injection systems and components.
- [6/0] sensors
 - speed
 - o crankshaft
 - camshaft
 - turbocharger
 - o driveline
 - pressure
 - engine oil
 - exhaust
 - o intake manifold
 - atmospheric
 - o fuel
 - o injection actuation
 - cylinder
 - o boost

- temperature
 - o fuel
 - engine oil
 - exhaust
 - o DPF
 - o coolant
 - o ambient air
- position
 - o throttle
 - crankshaft
 - o camshaft
 - EGR (exhaust gas recirculation)
 - VGT (variable geometry turbocharger)
- electronic unit injectors
 - · pulse width
 - poppet control valve
 - circuit protection
- hydraulic electronic unit injector (HEUI)
 - high pressure pump
 - pressure regulator
 - pressure sensor
 - unit injector
 - oil reservoir
- high pressure common rail
 - high pressure pump
 - pressure regulator
 - pressure sensor
 - time-pressure (PT) injector
- injector drivers
- status switches
 - cruise control
 - · clutch and brake
 - exhaust brake
 - power take-off
 - air brake
- electronic control module
 - protection shut down
 - limp home mode
 - backup microprocessor

- 5.2.3 Describe the principles of operation of full-authority electronic control diesel fuel injection systems and components.
- [6/0] sensors
 - speed
 - crankshaft
 - o camshaft
 - o turbocharger
 - o driveline
 - pressure
 - o engine oil
 - exhaust
 - o intake manifold
 - o atmospheric
 - o fuel
 - o injection actuation
 - o cylinder
 - o boost
 - temperature
 - o fuel
 - o engine oil
 - exhaust
 - o DPF
 - o coolant
 - o ambient air
 - position
 - o throttle
 - o crankshaft
 - camshaft
 - EGR (exhaust gas recirculation)
 - VGT (variable geometry turbocharger)
 - electronic unit injectors
 - pulse width
 - pulse profile
 - poppet control valve
 - effective stroke control
 - time control
 - injector drivers
 - switching characteristics
 - spiked actuation
 - injector response time

- hydraulic electronic unit injector (HEUI)
 - high pressure pump
 - pressure regulator
 - pressure sensor
 - unit injector
 - oil reservoir
- high pressure common rail
 - high pressure pump
 - pressure regulator
 - pressure sensor
 - time-pressure (TP) injector
- electronic control module
 - protection shut down
 - limp home mode
 - backup microprocessor
 - injector driver
 - cooling
 - power de-rate mode
 - data management
 - programming
 - power bulge
- 5.2.4 Perform inspection and diagnostic procedures following manufacturers' recommendations for full-authority electronically controlled diesel fuel injection systems.
- [0/9] identify components and locations
 - diagnostic techniques
 - interpret electronic flow charts
 - demonstrate the application of the electronic service tool (EST) and personal computer
 - demonstrate reprogramming and uploading processes using a electronic service tool (EST)
 - confirm electronic diagnosis with multi-meter testing
- 5.2.5 Recommend reconditioning or repair procedures following manufacturers' recommendations for full-authority engine management systems.
- [1/0] describe connector seal assembly procedures
 - outline checking procedures for electrical ground connection integrity
 - outline boost starting procedures
 - battery
 - charger
 - unit to unit

- safety precautions
 - eye protection, spontaneous combustion
 - CSA approved equipment for emptying tanks and storing fuel
 - priming and starting procedures, starting fluids applications
 - hazards of solvents
 - high pressure fuel lines
 - emergency shutdown procedures
 - high pressure injector spray precautions
 - high voltage
- communications
 - information accessing
 - practical reporting
 - technical service bulletins
 - data management systems
 - o service records
 - microfiche
 - o service information systems
 - electronic format
 - current legislated requirements
 - WHMIS
- mathematics
 - système international d'unités (s.i.) to Imperial conversion

Number: S1259.3

Title: Diesel Engine Emission Systems

Duration: Total Hours: 4 Theory: 2 Practical: 2

Prerequisites: CVAE Level 2

Cross Reference to Training Standards:

HDET 5893.01, 5893.08, 5893.09, 5893.10

General Learning Outcomes

Upon successful completion the apprentice is able to interpret the exhaust emissions produced by diesel engines following manufacturers' recommendations.

Learning Outcomes and Content

Upon successful completion, the apprentice is able to:

5.3.1 Explain the fundamentals of diesel engine emission systems.

[2/0]

- properties
 - carbon monoxide
 - hydrocarbons
 - oxides of nitrogen
 - particulates
 - carbon dioxide
 - sulphur dioxide
 - aldehydes
- catalysts
 - oxidation
- emission standards
- federal regulations
- provincial regulations
- aneroids
- altitude compensators
- sensors on emission controls

- 5.3.2 Demonstrate testing procedures following manufacturers' recommendations for diesel engine emission systems.
- [0/2] inspecting emission control devices
 - exhaust smoke analysis
 - light extinction methods
 - opacity meter
 - filtration/colour code method
 - exhaust gas analysis
 - four gas analysis

- safety precautions
 - eye protection, spontaneous combustion
 - CSA approved equipment for emptying tanks and storing fuel
 - priming and starting procedures, starting fluids applications
 - hazards of solvents
 - high pressure fuel lines
 - emergency shutdown procedures
 - high pressure injector spray precautions
- communications
 - information accessing
 - practical reporting
 - technical service bulletins
 - data management systems
 - o service records
 - o microfiche
 - service information systems
 - electronic format
 - current legislated requirements
 - WHMIS
- mathematics
 - système international d'unités (s.i.) to Imperial conversion

Evaluation Structure		
Theory Testing	Practical Application Testing	
60%	40%	

Number: S1260

Title: Drive Train Systems

Duration: Total Hours: 32 Theory: 16 Practical: 16

Prerequisites: CVAE Level 2

Co-requisites: None

6.1 Torque Converters, Fluid Couplings, and Hydraulic Retarders

12 Total Hours Theory: 6 hours Practical: 6 hours

6.2 Hydrostatic Drive Systems

20 Total Hours Theory: 10 hours Practical: 10 hours

Evaluation Structure: Assignments related to theory and appropriate application skills.

Proctored final exam. Periodic guizzes.

Instructional and Delivery Strategies:

Lecture and assignment work

Reference Materials:

O.E.M. Equipment Documentation

Recommended Minimum Equipment:

- Precision measuring tools
- Basic hand tools
- Appropriate pressure test equipment
- Equipment with powershift transmission and torque converters
- Hydraulic Retarder Components
- Fluid coupling components
- Hydrostatic pumps and drive motors
- Torque converter components

Number: S1260.1

Title: Torque Converters, Fluid Couplings, and

Hydraulic Retarders

Duration: Total Hours: 12 Theory: 6 Practical: 6

Prerequisites: CVAE Level 2

Cross Reference to Training Standards:

HDET 5896.0, 5896.01, 5896.08, 5896.09, 5896.10

General Learning Outcomes

Upon successful completion the apprentice is able to recommend repairs for torque converters, fluid couplings, and hydraulic retarders following manufacturers' recommendations.

Learning Outcomes and Content

- 6.1.1 Explain the purpose and fundamentals of torque converters, fluid couplings, and hydraulic retarders.
- [2/0] torque converters
 - static and dynamic friction
 - torque multiplication
 - centrifugal force
 - centripetal force
 - vortex and rotary flow
 - kinetic energy
 - hydrodynamic drive
 - multiplication phase
 - coupling phase
 - hydraulic retarders

- 6.1.2 Identify the construction features of torque converters, fluid couplings, and hydraulic retarders.
- [2/0] torque converters
 - pumps
 - impeller
 - stator
 - o fixed
 - o rotating
 - overrunning clutch
 - flywheel
 - lock-up device
 - fluid couplings
 - impeller
 - turbine
 - flywheel
 - hydraulic retarders
 - rotor and housing
 - control valve
- 6.1.3 Describe the principles of operation of torque converters, fluid couplings, and hydraulic retarders.
- [1/1] torque converters
 - pump
 - impeller
 - stator
 - fixed
 - rotating
 - overrunning clutch
 - flywheel
 - lock-up
 - fluid couplings
 - impeller
 - turbine
 - flywheel
 - oil flow action
 - hydraulic retarders
 - rotor and housing
 - control valve

- 6.1.4 Perform inspection, testing, and diagnostic procedures following manufacturers' recommendations for torque converters, fluid couplings, and hydraulic retarders.
- [0/4] oil level condition check
 - demonstrate oil leak tests
 - converter end play check
 - demonstrate converter:
 - stall tests
 - relief valve tests
 - performance tests
 - component failure analysis
- 6.1.5 Recommend reconditioning or repair procedures following manufacturers' recommendations for torque converters, fluid couplings, and hydraulic retarders.
- [1/1] show examples of component failures for:
 - pumps
 - impeller
 - stator
 - overrunning clutch
 - lock-up devices
 - rotors
 - control valves
 - identify contamination protection procedures
 - outline the recommended oil change procedures

- safety precautions
 - eye and hand protection
 - precision measuring tool precautions
- communications
 - information accessing
 - practical reporting
 - technical service bulletins

- data management systems
 - service records
 - o microfiche
 - o service information systems
 - o electronic format
- current legislated requirements
- WHMIS
- mathematics
 - système international d'unités (s.i.) to Imperial conversion

Number: \$1260.2

Title: Hydrostatic Drive Systems

Duration: Total Hours: 20 Theory: 10 Practical: 10

Prerequisites: CVAE Level 2

Cross Reference to Training Standards: **HDET** 5896.0, 5896.17, 5896.18, 5896.19

General Learning Outcomes

Upon successful completion the apprentice is able to recommend repairs for hydrostatic drive systems following manufacturers' recommendations.

Learning Outcomes and Content

Upon successful completion, the apprentice is able to:

6.2.1 Explain the purpose and fundamentals of hydrostatic drives.

[2/0] - application

- traction drives
- non-traction drives
- types
 - open loop circuits
 - closed loop circuits
- fundamentals
 - lubricant types
 - hydraulic pressures and output force
 - · coolers and circuits
- torque multiplication
- hydrodynamic versus hydrostatic drive systems
- charge pump
- charge pump circuits
- 6.2.2 Identify the types and construction features of hydrostatic drives.
- [2/0] hydrostatic drives
 - variable displacement pumps
 - fixed displacement pumps
 - variable displacement motors
 - fixed displacement motors

- controls
 - flow limiting
 - flow dividing
 - manual displacement control valves
 - electronic displacement control valves
 - hydraulic displacement control valves
- charge pump
- charge pump circuits
- coolers and circuits
- 6.2.3 Describe the principles of operation of hydrostatic drives.
- [2/0]
- hydrostatic drives
 - variable displacement pumps
 - variable displacement motors
 - fixed displacement pumps
 - fixed displacement motors
- operation of drive systems in neutral, forward, and reverse
- controls
 - flow limiting
 - flow dividing
 - manual displacement control valves
 - electronic displacement control valves
 - hydraulic displacement control valves
- charge pumps
- charge pump circuits
- coolers and circuits
- 6.2.4 Perform the inspection, testing, and diagnostic procedures following manufacturers' recommendations on hydrostatic drives.
- [2/8]
- test pressures of various hydrostatic drive systems
- examine and measure hydrostatic drive motor and pump components
- verify recommended operating functions of hydrostatic drive controls
- outline methods and procedures to diagnose and determine causes of abnormal noises, directional control problems, and malfunctions in hydrostatic drive systems
- verify recommended operating temperatures of hydrostatic drives
 - cooler restrictions
 - filter restrictions

- 6.2.5 Recommend reconditioning or repairs following manufacturers' recommendations for hydrostatic drives.
- [2/2] demonstrate field adjustments for hydrostatic drive systems
 - explain the recommended oil levels and grade
 - outline recommended removal and replacement procedures for hydrostatic motors, pumps, and coolers
 - demonstrate the disassembly and reassembly procedures for hydrostatic drive systems

- safety precautions
 - eye and hand protection
 - high pressure concerns for skin penetration
 - chemical hazards WHIMIS
- communications
 - information accessing
 - practical reporting
 - technical service bulletins
 - data management systems
 - o service records
 - microfiche
 - service information systems
 - electronic format
 - current legislated requirements
 - WHMIS
- mathematics
 - système international d'unités (s.i.) to Imperial conversion

Evaluation Structure	
Theory Testing	Practical Application Testing
60%	40%

Number: S1261

Title: Brake, Track and Suspension Systems

Duration: Total Hours: 32 Theory: 18 Practical: 14

Prerequisites: CVAE Level 2

Co-requisites: None

7.1 Hydraulic Brake Systems

17 Total Hours Theory: 9 hours Practical: 8 hours

7.2 Track-Type Undercarriages

11 Total Hours Theory: 6 hours Practical: 5 hours

7.3 Suspension Systems

4 Total Hours Theory: 3 hours Practical: 1 hour

Evaluation Structure: Assignments related to theory and appropriate application skills.

Proctored final exam. Periodic quizzes.

Instructional and Delivery Strategies:

Lecture and assignment work

Reference Materials:

O.E.M. Equipment Documentation

Recommended Minimum Equipment:

- Equipment with hydraulic brake system
- Precision measuring tools
- Hydraulic brake components
- Torque wrench
- Equipment with tracks
- Suspension system components
- Track components
- Wheel end brake assemblies (Inboard and Outboard)
- Equipment with suspension systems
- · Brake system pressure gauge set

Number: \$1261.1

Title: Hydraulic Brake Systems

Duration: Total Hours: 17 Theory: 9 Practical: 8

Prerequisites: CVAE Level 2

Cross Reference to Training Standards: **HDET** 5891.01, 5891.02, 5891.03, 5891.04

General Learning Outcomes

Upon successful completion the apprentice is able to perform repairs following manufacturers' recommendations and safe work practices of hydraulic brake systems.

Learning Outcomes and Content

Upon successful completion, the apprentice is able to:

- 7.1.1 Explain the fundamentals of hydraulic brake systems.
- [2/0] hydraulic brake schematics
 - flow tracing
 - component location and identification
 - wheel ends
 - multi-disc
 - inboard/outboard
 - spring applied hydraulic release
 - hydraulic applied spring release
 - external disc brakes
 - brake components
 - interpretation of brake schematics
- 7.1.2 Identify the construction, composition features, types, styles, and application of hydraulic brake systems.
- [3/0] system components
 - charge control valves
 - accumulators
 - shuttle valves
 - directional valves
 - flow valves
 - sequence valves
 - pumps

- wheel components
 - pistons
 - seals
 - springs
 - disc/plates
 - calipers
- 7.1.3 Describe the principles of operation of hydraulic brake systems.
- [2/0]
- system components
 - charge control valves
 - accumulators
 - shuttle valves
 - directional valves
 - flow valves
 - sequence valves
 - pumps
- wheel end
 - pistons
 - seals
 - springs
 - disc/plates
 - calipers
- 7.1.4 Perform inspection, testing, and diagnostic procedures following manufacturers' recommendations and safe work practices on hydraulic brake systems.
- [0/4]
- check and adjust charge pressures (kick-in/out)
- check and adjust accumulator charge pressure
- interpret hydraulic brake schematics
- interpret potential malfunctions using manufacturers' diagnostic troubleshooting procedures
- interpret test results and performance problems
 - noises
 - drag or lockup
 - vibrations
 - imbalance
- check and adjust wheel end brake pressure
- check and adjust wheel end lubrication and cooling pressure

- 7.1.5 Recommend reconditioning or repairs following manufacturers recommendations to hydraulic brake systems.
- [2/4] disassemble and assemble wheel end assembly
 - spring applied, hydraulic release
 - o safety precautions, stored energy of spring applied brakes
 - hydraulic applied, spring release
 - external dry disc

- safety precautions
 - eye and skin protection
 - equipment lifting and supports
 - high pressure concerns
 - pinch points (articulating)
- communications
 - information accessing
 - practical reporting
 - · technical service bulletins
 - data management systems
 - o service records
 - o microfiche
 - service information systems
 - electronic format
 - current legislated requirements
 - WHMIS
- mathematics
 - système international d'unités (s.i.) to Imperial conversion

Number: \$1261.2

Title: Track-Type Undercarriages

Duration: Total Hours: 11 Theory: 6 Practical: 5

Prerequisites: CVAE Level 2

Cross Reference to Training Standards:

HDET 5904.05, 5904.06, 5904.07

General Learning Outcomes

Upon successful completion the apprentice is able to recommend the repair procedures for track- type undercarriages following manufacturers' recommendations.

Learning Outcomes and Content

Upon successful completion, the apprentice is able to:

- 7.2.1 Explain the fundamentals of track-type undercarriages.
- [1.5/0] traction
 - soil compaction
 - vehicle stability
 - vehicle application
 - chain terminology
 - standard track
 - center ride track (e.g. Cat System One)
 - sprocket terminology
- 7.2.2 Identify the composition and construction features of track-type undercarriage components.
- [2/0] track frames
 - oscillating
 - non-oscillating
 - conventional style
 - hi-track style
 - track adjustment systems
 - grease piston
 - hydraulic cylinder
 - Idlers
 - recoil assemblies

- drive sprockets
 - segments
 - one piece
- track chains
 - sealed and lubricated
 - center ride (e.g. Cat System One)
- pads
- guards and shields
- track tension
- track
 - pins and bushings
 - reusability limits
- rollers
 - single flange
 - double flange
- undercarriage hardware
 - types and styles
 - · reusability guidelines
- 7.2.3 Describe the principles of operation of track-type undercarriages.

[2/0]

- track frames
 - oscillating
 - non-oscillating
 - conventional style
 - hi-track style
- track adjustment systems
- idlers
- drive sprockets
 - segments
 - one piece
- track chains
 - sealed and lubricated
 - center ride
- pads
- guards and shields
- track tension
- track
 - pins and bushings
 - reusability limits
- rollers
 - single flange
 - double flange

- undercarriage hardware
 - · types and styles
 - reusability guidelines
- track alignment
 - idler
 - track rollers
 - frame
 - sprockets
- 7.2.4 Perform inspection, testing, and diagnostic procedures following manufacturers' recommendations for track-type undercarriages.
- [0/3] wear measurements and diagnose causes of failures for:
 - track frames
 - oscillating
 - o non-oscillating
 - o conventional style
 - o hi-track style
 - idlers
 - drive sprockets
 - o segments
 - o one piece
 - track chains
 - pads
 - guards and shields
 - track tension
 - sealed and lubricated tracks
 - track
 - o pins and bushings
 - reusability limits
 - o alignment
 - rollers
 - single flange
 - double flange
 - o carrier
 - identify track adjustment systems
 - identify undercarriage hardware reusability guidelines

- 7.2.5 Recommend reconditioning and repair procedures following manufacturers' recommendations for track-type undercarriages.
- [0.5/2] identify removal and replacement procedures for:
 - track frames
 - oscillating
 - o non-oscillating
 - o conventional style
 - o hi-track style (Hi-drive)
 - idlers
 - drive sprockets
 - o segments
 - o one piece
 - track chains
 - pads
 - guards and shields
 - track tension
 - sealed and lubricated tracks
 - track
 - o pins and bushings
 - o reusability limits
 - o alignment
 - rollers
 - o single flange
 - o double flange
 - o carrier
 - undercarriage hardware
 - perform a demonstration of track alignment and adjustment
 - idler
 - track rollers
 - frame
 - sprockets

- safety precautions
 - eye and skin protection
 - control of hazardous materials/solvents
 - ventilation of work areas
 - lifting/hoisting procedures
 - fire hazard prevention
- communications
 - information accessing
 - practical reporting
 - technical service bulletins
 - data management systems
 - o service records
 - o microfiche
 - o service information systems
 - electronic format
 - current legislated requirements
 - WHMIS
- mathematics
 - système international d'unités (s.i.) to Imperial conversion

Number: \$1261.3

Title: Suspension Systems

Duration: Total Hours: 4 Theory: 3 Practical: 1

Prerequisites: CVAE Level 2

Cross Reference to Training Standards: **HDET** 5891.01, 5891.02, 5891.03, 5891.04

General Learning Outcomes

Upon successful completion the apprentice is able to perform repairs following manufacturers' recommendations and safe work practices of suspension systems.

Learning Outcomes and Content

Upon successful completion, the apprentice is able to:

- 7.3.1 Explain the fundamentals of suspension systems.
- [0.5/0] suspension and machine interaction
 - component location and identification
 - interpretation of suspension schematics
- 7.3.2 Identify the construction, composition features, types, styles, and application of suspension systems.
- [1.5/0] system components
 - ride control
 - spring
 - hydraulic
 - pneumatic
 - mechanical
 - walking beam
 - accumulators
 - pumps
 - suspension cylinders
 - valves
 - rubber blocks
 - linkages

- 7.3.3 Describe the principles of operation of suspension systems.
- [1/0] system components
 - ride control
 - spring
 - hydraulic
 - pneumatic
 - mechanical
 - walking beam
 - accumulators
 - valves
 - pumps
 - suspension cylinders
 - rubbers blocks
 - linkages
- 7.3.4 Outline inspection, testing, and diagnostic procedures following manufacturers' recommendations and safe work practices on suspension systems.
- [0/1] adjust suspension systems
 - ride control operation
 - adjust accumulator charge pressure

- safety precautions
 - eye and skin protection
 - control of hazardous materials/solvents
 - ventilation of work areas
 - lifting/hoisting procedures
 - fire hazard prevention
- communications
 - information accessing
 - practical reporting
 - technical service bulletins

- data management systems
 - service records
 - o microfiche
 - o service information systems
 - o electronic format
- current legislated requirements
- WHMIS
- mathematics
 - système international d'unités (s.i.) to Imperial conversion

Evaluation Structure	
Theory Testing	Practical Application Testing
70%	30%

APPENDIX A: Acronyms List

This listing identifies acronyms found in the following motive power curriculum documents:

Level 1 – Commercial Vehicles and Equipment (Common Core)

Level 2 – Commercial Vehicles and Equipment (Common Core)

Level 3 – Agricultural Equipment Technician

Level 3 – Heavy Duty Equipment Technician

Level 2 - Powered Lift Truck Technician

Level 3 – Powered Lift Truck Technician

Level 2 - Truck and Coach Technician

Level 3 - Truck and Coach Technician

Α	
ABS	anti-lock braking system
AC	alternating current
A/C	air conditioning
AET	Agricultural Equipment Technician
AFC	air fuel control
AGM	absorbed glass mat
API	American Petroleum Institute
ANSI	American National Standards Institute
ATA	American Trucking Association
ATC	automatic traction control
AVR	amp, volt, ohmmeter
AWG	American Wire Gauge
AWS	American Welding Society

В	
ВСМ	body control module
BSP	British Standard Pipe
ВТМ	brushless torque motor
С	
СВ	citizen band
CDI	capacitor discharge ignition
CD-ROM	compact disc read only memory
CFC	chlorofluorocarbons
CI	compression ignited
CMVSS	Canadian Motor Vehicle Safety Standard
CNG	compressed natural gas
CPU	central processing unit
CSA	Canadian Standards Association
CVSA	Canadian Vehicle Standards Association
cws	collision warning systems
D	
DC	direct current
DDC	Detroit Diesel Corporation
DFF	direct fuel feed
DIN	Deutsche Institute fur Normung (German Standards Institute)
DMM	digital multimeter

DOS	Disk Operating System
DOT	Department of Transportation
DPF	diesel particulate filter
E	
ECM	electronic control module
ECU	electronic control unit
EPROM	erasable programmable read only memory
EEPROM	electronically erasable programmable read only memory
EG	ethylene glycol
EGR	exhaust gas recirculation
ELC	extended life coolant
EPA	Environmental Protection Act
EST	electronic service tool
EUI	electronic unit injector
EUP	electronic unit pump
F	
FHSL	Federal Health and Safety Legislation
FMIs	fault mode indicators
FMVSS	Federal Motor Vehicle Safety Standards
FOPS	Falling Object Protection System
FRP	fiberglass reinforced plywood

G	
GCWR	Gross Combined Weight Rating
GFI	gasoline fuel injection
GPS	global positioning satellite
GVW	Gross Vehicle Weight
GVWR	Gross Vehicle Weight Rating
Н	
HC	hydrocarbon
HDET	Heavy Duty Equipment Technician
HEUI	hydraulically actuated electronic unit injector
HCFC	hydrochlorofluorocarbons
HFC	hydrofluorocarbons
HPI-TP	high pressure injector-time pressure (Cummins)
HVAC	heating, ventilation and air conditioning
1	
ID	inside diameter
ISO	International Standards Organization
J	
JIC	Joint Industry Conference
JIS	Japanese Industrial Standard
JIT	just in time
K	
KPI	king pin inclination

L	
LED	light emitting diode
LPG	liquid petroleum gas
LVD	low voltage disconnect
M	
MAP	manifold absolute pressure
MIDs	message identifiers
MIG	metal inert gas
MSDS	material safety data sheet
MUI	mechanical unit injector
MVSA	Motor Vehicle Safety Act (Canadian)
N	
N/A	not applicable
NOP	nozzle opening pressure
NPN	negative positive negative semi-conductor
NPT	National Pipe Thread
NV-RAM	non-volatile random access memory
0	
OD	outside diameter
ODP	ozone depletion prevention
OEM	original equipment manufacturer
OHSA	Occupational Health and Safety Act
oos	out of service criteria

OPS operator protection system ORB o-ring boss ORFS o-ring face seal P PC personal computer PCV positive crankcase ventilation
ORFS o-ring face seal P PC personal computer PCV positive crankcase ventilation
PC personal computer PCV positive crankcase ventilation
PC personal computer PCV positive crankcase ventilation
PCV positive crankcase ventilation
DEL port fuel injection
PFI port fuel injection
PG propylene glycol
PHSL Provincial Health and Safety Legislation
PIDs parameter identifiers
PLTT Powered Lift Truck Technician
PNP positive negative positive semi-conductor
PROM programmable read only memory
PT pressure time
PTA pressure time (injector) A series
PTG-AFC pressure time governor/air fuel control
PTD pressure time (injector) B series
PTG pressure time governor (control pump)
PTO power take-off
PWM pulse width modulation
R
RAM random access memory
RBM resist bend moment

ROM	read only memory
ROPS	roll over protection system
R.P.	recommended practices
RPM	revolutions per minute
s	
SAE	Society of Automotive Engineers
SALT	sealed and lubricated tracks
SCA	supplemental coolant additives
SI	spark ignited
s.i.	Système International d'Unités
SIDs	sub-system identifiers
SMAW	shielded metal arc welding
SRS	supplemental restraint systems
STC	step timing control
Т	
ТВІ	throttle body injection
ТСТ	Truck and Coach Technician
TDS	total dissolved solids
TP	time/pressure injector
TPS	throttle position sensor
TQM	total quality management
TMC	Technical and Maintenance Council

V	
VCO	valve closes orifice
VIN	vehicle identification number
w	
WHMIS	Workplace Hazardous Materials Information System
WIF	water in fuel sensors

APPENDIX B: Glossary of Trade Specific Terms

This glossary provides definitions of terms found in the following motive power curriculum documents:

Level 1 – Commercial Vehicles and Equipment (Common Core)

Level 2 – Commercial Vehicles and Equipment (Common Core)

Level 3 – Agricultural Equipment Technician

Level 3 – Heavy Duty Equipment Technician

Level 2 - Powered Lift Truck Technician

Level 3 – Powered Lift Truck Technician

Level 2 - Truck and Coach Technician

Level 3 – Truck and Coach Technician

Α

ABS Anti-lock braking system. Electronically controlled

brakes that monitor vehicle wheel speeds and manage

application forces to prevent wheel lock-up.

AC See alternating current.

A/C Air conditioning.

Accumulator A cylinder or device used to store pressure, can

contain a diaphragm and pneumatic pressure. Used in

hydraulic systems.

Ackermann Angle Angle between the planes of the steered wheels of a

vehicle with zero steering angle; a measure of toe-in or

toe-out.

acronym A word formed by the initial letters of other words.

active codes An electronically monitored system circuit, condition, or

component that is malfunctioning and logs an ECM code, which may be displayed or read using an EST.

Actuator Any output device controlled by a computer. Also used

in hydraulics as an output device such as a linear or

rotary device (cylinder or motor).

aeration The mixing of gas with a liquid, usually air with oil, fuel,

or coolant.

AFC Air/fuel control.

AFC (Cummins) A circuit that senses turbo boost sensing and is part of

the fuel management components on a Cummins PTC-

AFC pump.

94

© Skilled Trades Ontario

AFR See air/fuel ratio.

air/fuel ratio The mass ratio of an air-to-fuel mixture; also AFR.

air-to-air aftercooler Heat exchanger that cools the intake air after the

turbocharger before going to the intake manifold, by

using ambient air.

alcohol Any of a group of distillate hydrocarbon liquids

containing at least one hydroxyl group; sometimes

referred to as oxygenates.

aldehydes A class of chemical compounds having the general

formula RCHO, where R is an alkyl (aliphatic) or aryl

(aromatic) radical (SAE J1213 NOV82).

alloy The mixing of a molten base metal with metallic or

nonmetallic elements to alter the metallurgical

characteristics.

alternating current Electric current that reverses cyclically due to reversal

of polarity at the voltage source; AC.

altitude-pressure compensator Any sensor or device that automatically compensates

for changes in altitude.

Amboid gear A bevel gear crown and pinion assembly where the

axes are at right angles but the pinion is on a higher

plane than the crown.

ANSI The American National Standards Institute.

American Society for Testing

Materials (ASTM)

Agency that sets industry standards and regulations,

including those for fuel.

ammeter Instrument for measuring current flow.

ampere (A) The unit of measurement for the flow of electric

current. An ampere is defined as the amount of current that one volt can send through one ohm of resistance.

analog The use of physical variables, such as voltage or

length, to represent values.

anaerobic sealant Paste-like sealants that cure (harden) without exposure

to air.

aneroid A device used to sense light pressure conditions. The

term is used to describe manifold boost sensors that limit fueling until there is sufficient boost air to combust it and usually consists of a diaphragm, spring, and fuel-

limiting mechanism.

antifreeze A liquid solution added to water to blend the engine

coolant solution that raises the boiling point and lowers the freezing point. Ethylene glycol (EG), propylene glycol (PG), and extended life coolants (ELC) are

currently used.

antifriction bearing A bearing that uses balls or rollers between a journal

and a bearing surface to decrease friction.

API The American Petroleum Institute.

application software Programs that direct computer processing operations.

Apprentice program Any educational program designed to teach a trade

through a combination of on-the-job training and

classroom study.

Apprentice technician A beginner who is learning under the direction of one

or more experienced certified technicians.

Agueous Solution A solution in water, eg. a homogeneous mixture of two

or more substances; frequently (but not necessarily) a liquid solution; "he used a solution of peroxide and

water"

Aqueous Urea Injection Is a system that is designed for reducing NOx (Nitrous

Oxide) emissions formed in the presence of high combustion temperatures in internal combustion diesel engines. By injecting urea in the exhaust stream, it causes the NOx to break down into nitrogen and

oxygen.

arcing Bearing or gear failure caused by electric arcing.

articulating piston A two-piece piston with separate crown and skirt

assemblies, linked by the piston wrist pin and afforded a degree of independent movement. The wrist pin is usually full floating or bolted directly to the connecting rod, in which case it is known as a *crosshead piston*.

ASTM American Society for Testing Materials. Standards

rating organization that classifies materials generally

and all fuels.

ATA American Trucking Association. Organization with a

broad spectrum of representation responsible for setting standards in the U.S. trucking industry.

ATA data link An SAE/ATA standard J1584/J1708/J1939, 6-pin

Deutsche connector currently used by all truck and truck engine OEMs to access the on-board ECMs.

ATAAC Air-to-air charge air cooling.

ATDC After top dead centre.

atom The smallest part of a chemical element that can take

part in a chemical reaction; composed of electrons,

protons, and neutrons.

atomization The process of breaking liquid fuel into small droplets

by pumping it at a high pressure through a minute flow

area.

atomized droplets The liquid droplets emitted from an injector nozzle.

audit trail A means of electronically tracking electronically

monitored problems in an engine management system. May be discreet, that is, not read by some diagnostic

ESTs and programs; also known as *tattletale*.

В

backfire Ignition/combustion of the fuel in an oxy-acetylene

torch in the torch tip causing a popping and squealing

noise.

backlash The clearance or "play" between two parts, such as the

teeth of two gears.

battery A device containing one or more cells that produces

electricity through electrochemical action.

battery capacity The amount of current a battery is capable of

delivering.

battery charging The process of restoring a battery's charge by passing

current through it in a reverse direction (positive to

negative).

battery plate Battery components made of lead peroxide in sponge

form and porous lead.

battery rating Standardized measurement of a battery's ability to

deliver an acceptable level of energy under specified conditions. Standards established by the battery

council international (BCI).

baud Times per second that a data communications signal

changes and permits one bit of data to be transmitted.

baud rate The speed of a data transmission.

Bernoulli's Principle the statement that an increase in the speed of a fluid

produces a decrease in pressure and a decrease in the

speed produces an increase in pressure

beta ratio The beta ratio or rating is used for fine filters and is

determined under laboratory testing. Although not a true measure of how well a filter will do in an operating system, the beta rating is a good indicator of the filter performance. The beta ratio of an operating filter during steady state flow test is simply the count upstream divided by the count downstream of fine test

dust, based on any selected particle size.

binary system A two-digit arithmetic, numeric system commonly used

in computer electronics.

blower A low-pressure air pump used on diesel engines to

increase the amount and pressure of the air coming

into the engine. Sometimes referred to as a

supercharger.

boost pressure sensor This sensor measures intake manifold air pressure and

sends a signal to the ECM.

boost pressure A measure of positive air pressure provided by a

supercharger or turbocharger.

bore The diameter of an engine cylinder. Sometimes used

to refer to the cylinder itself.

boundary lubrication Thin film lubrication characteristics of an oil.

Boyle's Law The absolute pressure of a fixed mass of gas varies

inversely as the volume, provided the temperature

remains constant.

brake power Power developed by an engine measured at the

flywheel measured by a dynamometer or brake.

Factored by *torque* or RPM.

British thermal unit (BTU) Measurement of the amount of heat required to raise

the temperature of one pound of water by 1 degree F,

at sea level.

broach A boring bit used for final, accurate bore sizing.

BTM Brushless torque motor. Caterpillar rotary proportional

solenoid used for PEEC timing and rack position

control.

bypass filter A filter assembly plumbed in parallel with the

lubrication circuit, usually capable of high filtering

efficiencies.

bypass valve A diverter valve fitted to full flow filter (series) mounting

pads, designed to reroute lubricant around a plugged

filter element to prevent a major engine failure.

burst pressure The pressure which causes rupture. Also, the inside

out differential pressure that causes out-ward structural

failures.

C

cache High speed RAM located between the CPU and main

memory used to increase processing efficiency.

calorific value The heating value of a fuel measured in BTU, calories,

or joules.

calibration parameters The specific values required when setting performance

to specification.

calipers Comparative measuring instrument used for measuring

outside diameter and inside diameter.

cam ground Trunk-type pistons that are machined slightly

eccentrically. Because of the greater mass of material required at the wrist pin boss, this area will expand proportionally more when heated. Cam ground pistons

are designed to assume a true circular shape at

operating temperatures.

capacitance Measure of how much electrical charge can be stored

for a given voltage potential; measured in farads.

capacitor An electrical device that can store an electrical charge

or block AC and pass DC. Also known as condenser.

carbon (C) An element found in various forms including diamonds,

charcoal, and coal. It is the primary constituent element

in hydrocarbon fuels. Atomic #6.

carbon dioxide (CO₂) One of the products of combustion. Also a dry

chemical mixture that is an excellent fire retardant. Compressed into solid form this material is known as dry ice, and remains at a temperature of

109 degrees F.

carbon monoxide (CO) A deadly colourless, odorless gas that is formed when

fuel is not burned completely.

carcinogen Any substance, such as asbestos, and carbon

tetrachloride, that can cause cancer.

cardan joint A universal joint commonly used as a driveshaft

coupler permitting articulation. Two yokes are united by a rigid cross whose races run in a yoke supported

needle bearings or races.

case-harden A process of heating a piece of steel to harden its

surface while the inside remains relatively soft.

catalyst A substance that stimulates, accelerates, or enables a

chemical reaction without itself undergoing any

change.

catalytic converter An exhaust system device that enables oxidation and

reduction reactions; in lean burn truck diesel engines, only oxidation catalytic converters are used at this

moment in time.

cavitation Describes metal erosion caused by the formation and

subsequent collapse of vapor pockets (bubbles)

produced by physical pulsing into a liquid such as that of a wet liner against the wall of coolant that surrounds it. Bubble collapse causes high unit pressures and can quickly erode wet liners when the protective properties of the coolant diminish. Also known in hydraulics as a gaseous condition within a liquid stream causing the

rapid implosion of a gaseous bubble.

CCW Counter-clockwise or left hand rotation.

CD-ROM

CD Compact disk. Optically encoded, digital data storage.

An optically encoded data disk that is read by a laser in the same way an audio CD is read and is designed for

read-only data.

centrifugal filter A filter that uses a centrifuge consisting of a rotating

cylinder charged with pressurized fluid and canted jets to drive it; centrifugal filters often have high efficiencies

and are often of the bypass type.

centrifugal force The force acting outward on a rotating body.

centrifuge A device that uses centrifugal propulsion or a

centrifugal force principle of operation.

centripetal force Tendency to move toward a center; such as water

draining from a bathtub.

cetane A colourless liquid (C₁₆H₃₄). Used as a basis to test the

performance characteristics of diesel fuel.

cetane improver A diesel fuel additive designed to increase the *cetane*

number rating or ignition quality. Cyclohexanol nitrate

is a commonly used cetane improver.

cetane number (CN)

The standard rating of a diesel fuel's ignition quality. It

is a comparative rating method that measures the ignition quality of a diesel fuel verses that of a mixture of cretonne (good ignition characteristics). A mixture of 45% cretonne and 55% would have a CN of 45. Diesel fuels refined for use in North America are classified by the ASTM as #1D and #2D and must have a minimum

CN of 40.

CFM Cubic Feet per Minute. Used as a measurement for the

amount of air entering an engine's intake.

Charles' s Law See Gay-Lussac's Law.

CI Compression ignition; an engine in which the fuel/air

mixture is ignited by the heat of compression.

clearance A given space between two parts such as a piston and

cylinder.

clearance volume Volume in an engine cylinder when the piston is at

TDC.

clockwise rotation Rotation is the same as the direction as the movement

of the hands of a clock.

coefficient of friction A rating of a material's ability to generate friction.

Describes the "aggressiveness" of materials in contact

with each other. Affected by temperature and the

presence of lubricants.

Cold crank rating (CCR)

Standard battery rating system that identifies the maximum current drain a fully charged battery can deliver at 0 degrees F or -17 degrees C - measured in cold cranking amps (CCA).

Combustion

The act of burning, oxidation.

Combustion chamber

In most current S.I. and C.I. engines, the engine cylinder and the geometry of the head and piston crown form the combustion chamber. In I.D.I. diesel engines, the combustion chamber is a separate cell connected to, but not integral with, the cylinder. Also, the area above the piston with the piston at TDC. Measured in cubic centimeters.

Combustion cycle

The thermodynamic process of a heat engine cycle through induction, compression, oxidation, and exhaust.

Compound

- (i) A substance consisting of two or more elements held together by chemical force and not necessarily retaining any of the characteristics of the composite elements; i.e., Water: H₂O:
- (ii) Auxiliary gearbox that "compounds" the main transmission by increasing the available ratios and ranges.

Compression

The process by which a confined fluid is reduced in volume and increased in density with the application of pressure.

Compression ratio

The ratio of the piston swept volume to the total cylinder volume with the piston at BDC - a volumetric ratio and not a pressure ratio.

Communication Protocol

SAE has specific protocols for mobile equipment communication, such as J1939 J1587/1708

Concentric

Circles having a common centre.

Conductance

The ability of a material to carry an electrical current.

Conductors

Materials that readily permit the flow of electrons from atom to atom; usually metallic elements that have less than 4 electrons in their outer shells.

Conduction

Heat transmission through solid matter, also the transfer of heat from one object to another by being in direct contact.

Connecting rod The rigid mechanical link between the piston wrist pin

and the crankshaft throw.

Constant horsepower Sometimes used to describe a high *torque rise* engine.

Co-requisite A unit of learning that can be taken concurrently with

another subject, but in order to be successful, both

subjects must be completed successfully.

Conventional theory (Of current flow) asserts that current flows from a

positive source to a negative source. Despite the fact that it is fundamentally incorrect, it is nevertheless

widely accepted and used.

Convection A transfer of heat from one object to another through a

liquid. Also heat transfer occasioned by the upward flow of hot air and the downward flow of cool air.

Counterbore Cylindrical enlargement of the cylinder bore at the

block deck to seat a liner flange.

Crankshaft A shaft with offset throws designed to convert the

reciprocating movements of the pistons into torque.

Crank throw The offset part of the crankshaft where the connecting

rods fasten.

Creep Describes the independent movement of two

components clamped by fasteners when they have different coefficients of thermal expansion or have different mass, which means their expansion and

contraction rates do not concur.

Cross flow Describes a four-stroke cycle engine breathing

configuration where intake and exhaust manifolds are located on opposite sides of the cylinder head so gas

flow is across the piston crown.

Crosshead Part of the valve train in an engine that actuates two

valves per cylinder. Permits two valves in the same cylinder to be opened simultaneously by a single

rocker arm.

Crosshead piston An articulating piston with separate crown and skirt

assemblies in which the connecting rod is bolted

directly to the wrist pin.

Crude oil The organic fossil fuel pumped from the ground from

which diesel fuel, gasoline, and many other petroleum

products are refined; raw petroleum.

Current The flow of free electrons through a conductor.

Curriculum hour Is described as the breakdown of time for theory and

practical in-school delivery. It is timed at 50 minutes

per curriculum hour listed in the document.

Cycle time A reoccurring period in which a series of actions take

place in a definite order. Also used in hydraulics as the time it takes for an actuator or function to complete full

extend to full retract: thus a cycle time.

Cylinder block The main frame of any engine to which all the other

components are attached.

Cylinder head A detachable portion of an engine that covers the

upper end of the cylinder bores and forms part of the combustion chamber. Also includes the valves in the

case of overhead valve engines.

Cylinder sleeve A liner or sleeve interposed between the piston and the

cylinder wall or water jacket to provide an easily

replaceable surface for the cylinders.

D

Damper A unit or device used to reduce or eliminate vibration,

oscillation, of a moving part, fluid, etc.

Data Raw (unprocessed) information.

Database A data storage location or program.

Data link The connection point or path for data transmission in

networked devices.

Data link connector Plastic plug-in terminal with two or more electrical

connections used to interface with engine or vehicle's

computers.

DC Direct current.

DCA Diesel coolant additives. A proprietary supplemental

coolant additive.

DI Direct injection. Fuel is injected directly into the engine

cylinder. This is the common means of injecting.

current C.I. engines and used in some gasoline-fueled

engines.

Dial indicator Tool used to precisely measure linear travel.

Diesel cycle A four-stroke cycle similar to the Otto cycle (intake,

compression, expansion, and exhaust strokes) but where ignition of the fuel charge is occasioned by the heat of compression. A true diesel cycle engine is known as a *constant pressure* engine, meaning that fuel is metered into the cylinder at a rate that will produce constant pressure for a number of crank angle degrees.

Digital signal An electronic signal that uses on and off pulses.

Diode A semiconductor device that allows current flow in one

direction but resists it in the other, which acts like an

electrical check valve.

Displacement The total volume displaced by the cylinders when

moving from BDC to TDC.

Direct current (DC) Electric current that flows steadily in one direction only.

Droop An engine governor term denoting a transient speed

variation that occurs when engine loading suddenly

changes.

Droop curve A required hydro-mechanical governor characteristic in

which fueling drops off in an even curve as engine speed increases from the rated power value to high

idle.

medium to trap dirt particles. Most motive power air

filters are of the dry type.

Dry liners Liners that are fitted either with fractional looseness or

fractional interference that dissipate cylinder heat to the cylinder block bore and have no direct contact with

the water jacket.

Ε

Electromagnetism Describes any magnetic field created by current flow

through a conductor.

Electron A negatively charged component of an atom.

Electrolyte A solution capable of conducting electrical current.

Electron theory The theory that asserts that current flow through a

circuit is by electron movement from a negatively charged point to a positively charged one. See

conventional theory.

Electronic engine management Computerized engine control.

Electronic control unit (ECU) Refers to the computer and integral switching

apparatus in an electronically controlled system. Some engine OEMs use this term rather than the more

commonly used ECM.

Electronically controlled unit

injector

Mechanically actuated, electronically controlled unit injector that combines pumping, electronic fuel metering, and injecting elements in a single unit.

Emissions Any release of harmful materials into the environment.

Gases produced from exhaust, crankcase, and fuel

tanks and their contribution to smog.

End play Amount of lengthwise movement between two parts

due to clearance.

Energy Any capacity for doing work.

Ethylene glycol A liquid chemical used in engine coolant. See

antifreeze.

Exhaust scrubber An exhaust emission device used to clean particulate

matter from engine exhaust. Used predominately in off road equipment for use in underground mining and

enclosed buildings.

Expansion ratio Ratio of cylinder volume at the moment the exhaust

port or valves open to clearance volume; usually less

than compression ratio.

F

Fatigue Material failure or deterioration due to repetitive stress

loading or usage.

Ferrous material Metal containing metal or steel.

Fiber optics The transmission of laser light waves through thin

stands of fiber. Used to digitally pulse data more cheaply and at much higher speeds than copper wire.

Fire point The temperature at which a flammable material or

liquid vaporizes at a rate sufficient to burn

continuously.

Flammable Any substance that can be combusted.

Flashback A highly dangerous condition that can occur in

operating oxyacetylene equipment in which the flame may travel behind the mixing chamber in the torch and explode the acetylene tank using the system oxygen. Most current oxy-acetylene torches are equipped with

flashback arresters.

Fluid power The term used to describe both *hydraulics* and

pneumatics.

Flywheel A large heavy wheel that forms the base for the starter

ring gear and in which energy is absorbed and stored by means of momentum. Also provides a mounting surface for the torque converter or clutch assembly.

Force The action of one body attempting to change the state

of motion of another. The application of force does not

necessarily result in any work accomplished.

Friction The resistance an object or fluid encounters in moving

over or though another.

Four-stroke cycle engine An engine design where a power pulse occurs every

other revolution of the crankshaft. These strokes are (1) intake stroke (2) compression (3) power or expansion stroke; and (4) exhaust stroke.

Full-floating Used to describe components that permit more than

the usual amount of movement-for instance a *full-floating piston pin* is retained in the pin boss, but permits independent movement of both the piston and

the rod eye.

Full floating axle A drive axle design where the axle shafts provide

wheel torque only and bear no part of the vehicle load.

G

Gay-Lussac's Law

The law that at constant pressure the volume of a fixed

mass or quantity of gas varies directly with the absolute temperature; a close approximation. Also

known as Charles's Law.

General Learning Outcomes Learning outcomes represent culminating

demonstrations of learning and achievement.

Outcomes are not simply a listing of discrete skills, nor broad statements of knowledge and comprehension. Outcomes describe performances that demonstrate that significant learning has been achieved and

applied.

General Practices This section captures concepts and topics that must be

integrated into the learning for each unit. No specific time is allocated for these items as it is deemed to be

accounted for in the learning content.

Governor A component that manages engine fueling on the basis

of fuel demand (accelerator) and engine RPM; may be

hydromechanical or electronic.

Grade markings Lines placed on the heads of some bolts to indicate

tensile strength.

Gross Horsepower The brake horsepower of an engine with optimum

settings and without allowing for power absorbed by

the engine-driven accessories.

Gross Torque The maximum torque produced when measured at the

engine's crankshaft. Does not allow for torque consumed by the engine-driven accessories.

Н

Hall Effect A method of accurately sensing rotational speed and

digitally signaling it. A rotating metallic shutter alternately blocks and opens a magnetic field from a

semiconductor sensor.

Hazardous Waste Any chemical or material that has one or more

characteristics that make it hazardous to health, life,

and/or the environment.

Heat A form of energy associated with the motion of atoms

or molecules and capable of being transmitted by

conduction, convection, and radiation.

Helix A spiral groove or scroll. The helical cut recesses in

some injection pumping plungers that are used to

meter fuel delivery. Plural: helices.

Hg manometer A mercury (Hg) filled manometer.

High Idle Speed The highest no load speed of an engine.

Hooke's Law The law that the stress of a solid is directly proportional

to the strain applied to it.

Horsepower (hp) Measurement of an engine's ability to perform work.

One horsepower is defined as the ability to move

33,000 pounds one foot in one minute.

H₂O Manometer A water-filled manometer.

Hunting Rhythmic fluctuation of engine RPM usually caused by

unbalanced cylinder fueling.

Hydraulics The science and practice of confining and pressurizing

liquids in circuits to provide motive power.

Hydrodynamic suspension The principle used to float a rotating shaft on a bed of

constantly changing, pressurized lubricant.

Hydraulic electronic unit injector

(HEUI)

Unit injector featuring a hydraulically-actuated injection pumping, with an electronically controlled injector.

Combines fuel metering and injecting elements into a

single unit.

Hydrocarbon Describes substances primarily composed of elemental

carbon and hydrogen. Fossil fuels and alcohols are

both hydrocarbon fuels.

Hydrodynamic engine

management

All engines managed without computers.

Hydrometer An instrument designed to measure the specific gravity

of liquids, usually battery electrolyte and coolant mixtures. Not recommended for measuring either in truck engine applications where a refractometer is the

appropriate instrument due to greater accuracy.

Hypoid gear A bevel gear crown and pinion assembly where the

axes are at right angles but the pinion is on a lower

plane than the crown.

Hysteresis (i) In hydromechanical governor terminology, a

response lag.

(ii) Molecular friction caused by the lag between the

formation of magnetic flux behind the magnetomotive

force that creates it.

ı

Impedance The combination of resistance and reactance in an AC

circuit.

Indirect injection (IDI)

Describes any of a number of methods of injecting fuel

to an engine outside of the cylinder. This may be to an intake tract in the intake manifold or to a cell adjacent to the cylinder such as a pre-combustion chamber.

Indicated horsepower Gross power produced in the engine cylinders often

arrived at by calculation and always greater than *brake power* because it does not factor in pumping and

friction losses.

Industry Committee A committee of industry members who are

representative of the province and help to guide the

MLITSD about apprenticeship issues.

In physics, it describes the tendency of a body at rest

or in motion to continue that state unless it is changed

by an external force.

Inline block An engine that has all of its cylinders aligned in a

straight row.

Insulator Materials that either prevent or inhibit the flow of

electrons: usually nonmetallic substances that contain

more than four electrons in their outer shell.

Integral Whole or combined with another component to act as a

single unit.

Isochronous governor A zero droop governor or one that accommodates no

change in RPM on the engine it manages as engine load varies. In electronically managed truck engines, the term is sometimes used to describe engine

operation in PTO mode.

J

Jounce Literally "bump"-used to describe the most compressed

condition of a suspension spring.

Journal The part of an axle or shaft that actually contacts the

bearing.

Jumper pipe A term used to describe the pipes that connect the

charge and return galleries with DDC MUIs or with

each other in multicylinder heads.

K

Kinetic energy Any energy associated with motion.

Kingpin inclination Inclination angle of the steering axis to a vertical plane.

Kirchhoff's 1st Law States that the current flowing into a point or

component in an electrical circuit must equal the

current flowing out of it.

Kirchhoff's 2nd Law

States that the voltage will drop in exact proportion to the resistance in a circuit component and that the sum of the voltage drops must equal the voltage applied to the circuit; also known as Kirchhoff's Law of voltage drop.

L

Lambda sensor An exhaust gas sensor used on electronically

managed, SI gasoline-fueled engines to signal the

ECM the oxygen content in the exhaust gas.

Laminar flow A condition where the fluid particles move in

continuous parallel paths; streamline flow.

Lead acid battery Standard vehicle battery consisting of lead acid cells

in series. Twelve volt batteries have become standard and they can be used in multiples in parallel or series

for heavy duty applications.

L-head engine An in-line engine configuration where the intake and

exhaust valve ports are located adjacent to the

cylinder in the block. Seldom used in current engines.

Learning outcomes are discrete statements that

describe the elements leading to attainment of the

general learning outcome.

Learning content The learning activities required for the learner to

achieve the Learning Outcomes. A comprehensive list

of activities to guide the trainer.

Liner protrusion The amount the liner protrudes above the deck of the

block, thus allowing retention when the head is

properly torqued.

Logic (i) The science of reasoning.

(ii) Arithmetic and data comparison protocols of a

microprocessor.

M

Magnetism The phenomenon that includes the physical attraction

for iron observed in lodestone and associated with electric current flow. It is characterized by fields of force, which can exert a mechanical and electrical influence on anything within the boundaries of

that field.

Manometer A tubular, U-shaped column mounted on a calibration

scale. The tube is water or mercury-filled to balance at 0 on the scale and the instrument is used to measure light pressure or vacuum conditions in fluid circuits.

Mechanical efficiency A measure of how effectively *indicated power* is

converted into brake power; factors in pumping and

friction losses.

Micrometer A precision instrument for measuring either internal,

external, or depth dimensions to within thousands or

ten thousands of an inch or millimeter.

Micron One millionth of a meter or .000039 inch. The term

used to rate the size of filters for liquids, such as

engine oil or hydraulic fluids.

Muffler An engine silencer that uses sound absorption and

resonation principles to alter the frequency of engine

noise.

Mechanical Unit Injector (MUI) Cam-actuated, governor-controlled unit injectors used

by DDC and Caterpillar.

Multimeter A test instrument capable of reading volts, amps, and

ohms.

Multi-orifii nozzle A typical hydraulic injector nozzle whose function it is

to switch and atomize the fuel injected to an engine cylinder. Consists of a nozzle body machined with the orifii, a nozzle valve, and a spring. Used in most DI diesel engines using port helix injection pumps, MUIs,

EUIs, and HEUIs.

Multiplexing A method of using one communications path to carry

two or more signals simultaneously.

N

Nitrogen dioxide One of the oxides of nitrogen produced in vehicle

engines and a significant contributor in the formation

of photochemical smog.

Non-ferrous metal Metals and alloys that contain little or no iron.

retention in cells in a vehicle module after the ignition

circuit is opened; also known as KAM

Normal rated power
The highest power specified for continuous operation

of an engine.

0

O. Reg.631/94 section 3 Is an Ontario regulation for regulations as they apply

to overhead cranes.

OEM Original equipment manufacturer.

Ohm A unit for quantifying electrical resistance in a circuit.

Ohm's Law The formula used to calculate electrical circuit

performance. It asserts that it requires 1 v of potential to pump 1 A of current through a circuit resistance of 1

ohm.

Ohmmeter An instrument for measuring resistance in an electric

component or circuit.

Opacity meter A light extinction means of testing exhaust gas

particulate and liquid emission that rates density of exhaust smoke based on the percentage of emitted light that does not reach the sensor, so the higher the percentage reading, the more dense the exhaust

smoke.

Orifice A hole or aperture.

Orifii Plural of orifice.

Oscilloscope An instrument designed to graphically display

electrical waveforms on a CRT or other display

medium.

Otto cycle The four stroke, spark ignited cycle, patented by

Nicolas Otto in 1876 and consisting of induction,

compression, power and exhaust strokes.

Overhead camshaft An engine which locates the valve actuating

camshaft(s) in the cylinder head to either directly or indirectly actuate the valves and in some diesel

applications, the unit injectors.

Oxy-acetylene A commonly used cutting, heating, and welding

process that uses pure compressed oxygen in

conjunction with acetylene fuel.

Oxidation The act of oxidizing a material; can mean combusting

or burning a substance.

Oxides of nitrogen (NOx)

An undesirable compound of nitrogen and oxygen in

exhaust gases. Usually produced when combustion

chamber temperatures are excessively high.

Ρ

Parallel port valve configuration Engine cylinder valve arrangement that locates

multiple valves parallel to crank centreline permitting equal gas flow through each (assuming identical lift).

Particulate trap A canister in series with the exhaust piping containing

a filtering medium to entrap diesel HC exhaust particulates and in some instances oxidize them.

Pascal's Law A principle of fluids that states that when pressure is

applied to a confined fluid, it is transferred

undiminished throughout the fluid.

PC networks Any of a variety of small personal computers designed

for full function in isolation from other units but which

may be used to network with other systems.

Piezoelectric Principle Certain crystals become electrically charged when

exposed to pressure, the voltage produced increasing proportionally with pressure rise. Quartz and Rochelle salt crystals have these properties. Combustion pressure

sensors may both use the Piezoelectric Principle.

Pintle nozzle A type of hydraulic injector nozzle used in some IDI

automobile, small bore diesel engines until recently.

Plenum chamber A chamber or cavity in which a fluid is held at a

pressure above atmospheric or above system mean

pressure.

Pneumatics Branch of fluid power physics dealing with pressure

and gas dynamics.

Poppet nozzle Forward opening injector nozzle valve used on older

Caterpillar IDI systems.

Port-helix metering Consists of a pumping plunger and barrel assembly

designed to regulate fuel delivery.

Potentiometer A three-terminal variable resistor or voltage divider

used to vary the voltage potential of a circuit. Commonly used as a throttle position sensor.

Power The rate of accomplishing work; it is necessarily

factored by time.

Practical The hands-on element of learning in the curriculum

document. Apprentice activities develop skills to achieve completion of psychomotor learning

outcomes.

Preloading Process of adjusting a bearing so that it has a mild

pressure placed upon it, beyond zero endplay.

Prerequisite Learning that must be achieved prior to taking a given

subject.

Pressure Force exerted per unit of area.

Pulse width modulation The shaping of pulses and waveforms for purposes of

digital signaling. Acronym PWM is often used.

Pyrometer A thermocouple type, high temperature sensing

device used to signal exhaust temperature. Consists of two dissimilar wires (pure iron and constantan) joined at the hot end with a millivoltmeter at the read end. Increase in temperature will cause a small current to flow, which is read at the voltmeter as a

temperature value.

Q

Quenching Process of dipping a heated object into water, oil, or

other substance to quickly reduce its temperature.

Quiescent Combustion Non-turbulent flame propagation characteristic of slow

running diesel engines that are direct injected.

R

Radial A line at right angles to a shaft, cylinder, etc.,

Centerline.

RAM Random access memory. Electronically retained

"main memory."

Rated power The highest power specified for continuous operation.

Rated speed The RPM at which an engine produces peak power.

Reluctor Term describing a number of devices that use

magnetism and motion to produce an AC voltage-a

pick-up coil.

Rebound Reactive response of a spring, the opposite of jounce.

Reportable Subject (i) A clustering or grouping of related or like learning

outcomes.

(ii) A standalone learning unit with a distinct start and

end.

(iii) A course or module.

Reserve Capacity The amount of time a battery can produce an

acceptable current when not charged by the

alternator.

Rheostat A two terminal, variable resistor.

S

SAE Society of Automotive Engineers.

SAE horsepower A structured formula used to calculate brake

horsepower data that can be used for comparison

purposes.

Scoring Scratch/gouge damage to a surface finish.

Semiconductor A substance, such as silicon, that acts as a conductor

or insulator, depending on its operating condition and

application.

Semi-floating axle A drive axle design in which the axle shaft imparts

drive to the wheel and supports the vehicle weight.

Sensor A term that covers a wide range of command and

monitoring input (ECM) signal devices.

Shunt winding A wire coil that forms an alternate path through which

electrical current can flow.

s.i. système international d'unités. A measure in metric

units.

Silicon A non metallic element found naturally in silica,

silicone dioxide in the form of quartz.

Silicon-controlled rectifier Function similarly to a bipolar transistor with a fourth

semiconductor layer; used to switch DC.

Spark ignition (SI)

Any gasoline-fueled, spark-ignited engine usually

using an Otto cycle principle.

Specific gravity A relative weight of a given volume of a specific

material as compared to an equal volume of water.

Spiral gear A winding helical protrusion or thread machined to a

shaft, as in a worm gear.

Static electricity Accumulated electrical charge not flowing in a circuit.

Stoichiometric Ratio The exact ratio of reactants participating in a reaction

required to complete the reaction. Most often used in the context of explaining the mass of air required to

completely combust a fuel.

Supercharger Technically any device capable of providing manifold

boost, but in practice used to refer to gear-driven

blowers such as the Rootes blower.

Sulfur An element present in most crude petroleums, but

refined out of most current highway fuels. During combustion, it is oxidized to sulfur dioxide, and

classified as a noxious emission.

Sulfur dioxide The compound that is formed when sulfur is oxidized

that is the primary contributor to sulfurous type smog. Vehicles contribute little to sulfurous smog problems

due to the use of low sulfur fuels.

Supplemental Restraint System

(SRS)

An emergency inflatable air bag system designed to

enhance crash safety.

Swept Volume The volume displaced in a cylinder as a piston moves

from BDC to TDC.

Synthetic Oils Petroleum based oils that have been chemically

compounded by polymerization and other processes.

T

TDC Top dead centre of an engine.

Tensile strength Widely used term denoting the required unit stress to

cause material separation. In ferrous alloys, tensile strength usually exceeds yield strength by about 10%.

Measured in force per unit area, psi.

Theory The theoretical hours listed in the curriculum

document that represent learning in the cognitive

domain, the thinking portion of the training.

Thermal Efficiency Ratio of brake power to that of the calorific value (heat

energy potential) of a material failure caused by

engine performance.

Thermistor A commonly used temperature sensor that is supplied

with a reference voltage and by using a temperature sensitive variable resistor, signals back to the ECM

portion of it.

Thrust faces A term used to describe loading of surface area

generally but most often of pistons. When the piston is subject to cylinder gas pressure there is a tendency for it to cock (pivot off a vertical centerline) and load

the contact faces off its axis on the pin.

Torque Twisting effort or force. Torque does not necessarily

result in accomplishing work.

Torque rise The increase in torque potential designed to occur in a

diesel engine as it is lugged down from the rated power RPM to the peak torque RPM, during which the power curve remains relatively flat. High torque rise engines are sometimes described as constant

horsepower engines.

Training Standards Training standards are created by the MLITSD with

the Industry Committee and are intended to be used by the apprentice, instructors, and companies as a "blueprint" for on-the-job training, or as a prerequisite

for government certification.

Transducer A device that coverts energy from one power form to

another for instance, a physical pressure value to an

electrical pressure value.

Trunk piston A single piece piston usually constructed of aluminum

alloy.

Turbocharger A turbine device that utilizes exhaust pressure to

increase the air pressure going into the cylinders. Used particularly in reference to movement of air in

the cylinder and combustion chamber.

Turbulence A violent irregular movement or agitation of a fluid or

gas. Violent swirling motion. Fuel injection provided some turbulence. Additional turbulence is provided by

the design features of the combustion space.

Turbulent Flow A condition where the fluid particles move in random

paths rather than in continuous parallel paths.

Two-stroke cycle An engine that requires one complete revolution of the

crankshaft to fire each piston once. An engine requiring only one complete revolution of the crankshaft to complete the cycle of events.

U

Unit injector A diesel fuel injector which receives fuel at charging

pressure and performs the functions of metering, creating injection pressure values and atomizing fuelusually directly to the engine cylinder. Mechanically or electronically controlled, mechanically or hydraulically

actuated.

Universal joint A flexible joint that permits changes in driving angles

between a driving and driven shaft.

Urea The chief solid component of mammalian urine;

synthesized from ammonia and carbon dioxide and used as fertilizer and in animal feed and in plastics

٧

Valve timing Crank angle locations in the cycle when the valves are

open and closed.

Valve train

The sum of the components responsible for actuating

a valve, extending from the cam profile to the valve

itself.

V-engine Engine configuration in which the cylinders are

arranged so that their axes form a V. Described by the

angle, most commonly, 45, 60, and 90 degrees.

Volatility The ability of a liquid to evaporate. Gasoline has

greater volatility than diesel fuel.

Volute A snail-shaped diminishing sectional area such as

used in turbocharger geometry.

Viscosity Denotes the fluidity of a liquid.

Viscosity Index A measure of a liquid's fluidity at a specific

temperature diminishes as temperature drops and

vice versa.

Viscous damper An engine vibration damper consisting of disc shaped

housing containing a fluid medium (silicon gel) and a solid inertia ring; uses fluid friction to dampen torsional

oscillation.

Voltmeter Instrument for testing charge differential or voltage in

a circuit.

Volumetric efficiency Engine breathing efficiency. Extent to which end

gases are purged from an engine cylinder, usually expressed as a percentage of new charge to cylinder volume. A ratio of mass not volume. Seldom 100% in naturally aspirated engines, can be greater than 100%

in boosted engines.

W

Wastegate A valve that vents excess exhaust gas to limit the

amount of boost delivered by a turbocharger.

Watt's Law Formula for computing unknown power, voltage, or

current in a circuit by using two known factors to find

the unknown value.

Wet liners Cylinder block liners that have direct contact with the

water jacket and therefore must support cylinder combustion pressures and seal the coolant to which

they are exposed.

Wheatstone bridge A galvanometer that bridges an electrical circuit to

give a resistance reading.

Υ

Yield strength The stress loading required to permanently deform a

material automotive construction materials, especially

steels, and are classified by yield strength rating.

Ζ

Zenor diode Specialty diode designed to conduct with a reverse

bias current after a specific voltage value is reached.



skilledtradesontario.ca



Heavy Duty Equipment Technician